



Stingray Boats began over 45 years ago with two molds, a few skilled craftsmen, and a passion to build great performing boats. That passion has endured and continues today. Boatbuilding is not just a business here at Stingray; it's a part of who we are. Building lifelong memories one boat at a time!

Stingray is a privately owned, family-run company that focuses on building quality, not quantity. We also provide our customers with the assurance that they are getting the most boat for the best price. This has been the driving force of Stingray for over four decades and has provided us with the honor of having two-time, three-time, and even four-time Stingray boat owners. It is this loyal following of families who love boating that will continue to drive our passion to keep building great boats for many years to come.

At Stingray, we know that our customers lead busy lives and want to make the most of their free time and money on the water. With that in mind, we take advantage of our performance history and the current market trends and combine that with our passion for building great boats.

Stingray's motto is quality and legendary performance that has been unsurpassed since 1979.











ENVIRONMENTALLY RESPONSIBLE

Being a leader in technology is more than just a philosophy — it's a commitment designed to help ensure the preservation of our natural resources for generations to come. At Stingray, fuel efficiency, waste reduction, recycling, and reduced stacked emissions are not just buzzwords — they are measured goals of each employee. Our commitment goes beyond that which is mandated or regulated — it is an internal philosophy to do our part to protect the environment for future generations. Consider a few of the things that we are doing to protect our planet:

USE OF FOUR-CYCLE ENGINES: Stingray uses only three-star rated, four-cycle engines, which are the cleanest and most fuel-efficient available for marine use. Better fuel efficiency translates into less fuel consumption. Three-star engines can be 4x to 10x cleaner than two-cycle outboards, which means less pollution to our environment.

OZONE-FRIENDLY FLOTATION FOAM: Stingray uses non-ozone deleting flotation foam by FSI EPA Approved. It is free of chlorofluorocarbons — gases that are depleting the Earth's ozone layer. Ask about the use of zero-ozone deleting (zone 3) foam when considering boating brands.

LOW VOC GELCOATS AND RESINS: Stingray was the first boat manufacturer to convert to the use of low styrene laminating resins and gelcoats. The combination of these low VOC materials, coupled with the latest in low-pressure, high-temperature spray equipment, has reduced Stingray's VOC stacked emissions by over 55%.



COMMITTED: We want Stingray owners not only to have fun on the water but also to know that they are helping protect the environment at the same time.



Stingray recycles over 163,000 pounds per year.

With Dun and Bradstreet's highest credit rating, Stingray is one of the most financially solid manufacturers in the industry. Stingray dealers and customers can depend on strong support for years to come. We are proud of our debt-free status — a claim that few builders can make!

VALUE & QUALITY-ORIENTED

As one of the founding members of the American Boatbuilders Association (ABAboats.com), Stingray is in excellent company with Bryant, Chaparral, Formula, Grady-White, MasterCraft, Monterey, Nautique, Regal, Sportsman, Tiara Yachts, and Tigé. This is another assurance that you are receiving the highest quality materials available at the best possible price. ABA members pool their expertise and resources to purchase only the best products and services available.

Z-Plane Hull4 Technology5 Certifications5 Warranty5	
Deck Boats	
1725C8 1825C10 1925C12 2125C14	
Center Consoles	
173CC	
Dual Consoles	
172DC	
191DC34 201DC36 211DC38 231DC40 259DC42	
191DC	







The Stingray Z-plane hull is unparalleled in the industry. It is up to 30% more efficient than other boat hulls. Developed on a CAD (Computer-aided Design) system, the hull design is unlike competitors' add-on lifting strakes. Stingray Z-planes act as horizontal planing faces when submerged; when very near the water's surface, the outside edge acts as a spray release, passing through the water with no bubbles or vortices. The smooth flow of water allows the propeller better bite during straight-line speed and hard cornering maneuvers. Extending beneath the swim platform, the design allows for quicker planing and three-point contact with the water at faster speeds. This combination results in a quicker hole shot, industry-leading top-end, and smooth handling at all speeds.

TECHNOLOGY DRIVEN

For the past four decades, Stingray has pioneered many of the advances of technology in the boat building industry. Equipment and tools that were not available just a few years ago are now the mainstays that enable Stingray to achieve unparalleled precision and efficiency (i.e., computer-aided designs, multi-axis 3D milling machines, water jet cutting machines, and CNC routers).

COMPUTER-AIDED DESIGN AND MANUFACTURING: Every Stingray begins as a three-dimensional computer model. We "build" the boat on-screen and carefully scrutinize each component for size and fit, making all of the necessary adjustments before we ever commit the design to fiberglass. We even use a virtual human to check for legroom and headroom — and to be sure that all of the controls are located comfortably within reach. The information from this 3D model is sent to the next step in the process: 3D milling.

MULTI-AXIS 3D MILLING MACHINE: With information available from a 3D computer model, milling machines can produce a full-size model in a matter of hours — a task that would take weeks otherwise. With unequaled precision, the running surface of the hull is cut to the exact specifications. Our master craftsmen then provide the mirror finish that is a hallmark of Stingray quality.

ROBOTIC LAMINATION FACILITY: In our lamination building, a custom-designed overhead rail system was developed just for Stingray. Parts under construction are moved from one bay to the next for layup and curing. This system also keeps track of our in-process fiberglass parts while optimizing mold usage and improving productivity. Process automation also increases worker safety, helps maximize efficiency, and improves quality.

WATER JET CUTTING MACHINES: Many parts on a Stingray are cut using one of our high-pressure water jet machines. A stream of water no thicker than a human hair slices quickly and neatly through a variety of materials much easier than could be done by hand. Materials such as sea grass, foam, vinyl, canvas, rubber, and fiberglass are quickly transformed into precision quality parts.

CNC ROUTERS: Computerized numeric-controlled routers are used to cut various sheet goods into high quality parts. The computer allows us to "nest" a group of parts efficiently to minimize waste. Because the process is computer controlled, each part is dimensionally identical from one run to the next and can be finished much faster and less expensive than those produced by hand.



CE CERTIFICATION: Stingray competes on a global scale and has dealerships located throughout the world from the Middle East throughout Europe and Asia. Stingray boats destined for these countries must meet stringent standards prescribed by the Consultants Europe (CE) and bear the CE mark.



NMMA/USCG CERTIFICATION: All Stingray boats meet or exceed National Marine Manufacturers Association (NMMA) and U.S. Coast Guard (USCG) certification requirements for safety, such as horsepower, load capacity, steering, fuel systems, compartment ventilation, navigation lighting, and backfire flame control.



CSI AWARD: Annually, the Marine Industry CSI Awards program honors participating manufacturers that actively measure customer satisfaction and pursue continuous improvement to better serve the consumer. This measurement is based on responses provided by customers purchasing a new boat and/or engine (more than 155,000 last year alone). Over the years, Stingray has acquired numerous CSI awards for achieving and maintaining an independently measured standard of excellence of 90 percent or higher in initial customer satisfaction over an annual award period.







WARRANTY

Every Stingray boat is backed by a comprehensive warranty for peace of mind.

LIMITED LIFETIME TRANSFERABLE STRUCTURAL HULL WARRANTY: Stingray Boat Co. (hereafter "STINGRAY") warrants the HULL against structural defects in material and workmanship for a period of ten (10) years from the date of purchase or eleven (11) years from the date of manufacture, whichever period elapses first. The warranty provided in this section is to the original retail owner only and applies only if the boat is purchased from an authorized STINGRAY Dealer. During the warranty period described above, STINGRAY will repair or replace, at its option, the fiberglass HULL if it is unfit or unsafe for general use as a pleasure craft under normal conditions and, in Stingray's discretion, is determined to be structurally defective in material or workmanship. For purposes of this warranty, the HULL is defined as the part of the boat in contact with the water when at rest. The warranty provided in this section is subject to all limitations and conditions contained herein. The remaining term of this HULL Warranty, up to five (5) years, may be transferred to the second owner if, within 60 days of purchase, the new owner registers the transfer with an authorized STINGRAY Dealer and pays a seventy-five US dollar (\$75 USD) transfer fee. Visit stingrayboats.com/transfer for further details on transferability.

3-YEAR LIMITED OSMOTIC HULL BLISTER WARRANTY: STINGRAY warrants against hull blistering caused by osmosis that is discovered and reported to STINGRAY during the first 3 years of ownership (subject to the prorated schedule below). The warranty provided in this section applies to the original retail owner only and is VOID if the original factory gelcoat surface has been altered by excessive sanding, scraping, sandblasting, or accident repair. A marine barrier coating with proper surface preparation is required if the boat is bottom painted or if the boat is left in fresh or saltwater for more than 60 days in any 90 day period. In the event of osmotic blistering, STINGRAY will, at its option, repair or cause to be repaired any hull damage and apply a layer of marine barrier coating to the affected surface area(s), Osmotic hull blisters are defined as those blisters, larger than one-eighth inch in diameter and with a depth greater than one-sixteenth inch, which occur on the hull below the waterline. Repairs will be performed (at STINGRAY'S discretion) by the selling dealer, a designated service center, or the STINGRAY factory. The following prorated schedule of parts and labor will be covered by STINGRAY: Blistering discovered and reported to STINGRAY less than one (1) year from date of purchase - 100%; between one (1) and two (2) years from date of purchase - 66%; between two [2] and three [3] years from date of purchase - 33%. All osmotic hull repairs must be pre-approved by STINGRAY prior to any work being performed. Transportation cost is the boat owner's responsibility. Reimbursement shall be limited to one repair, not to exceed eighty US dollars (\$80 USD) per foot of hull length resting below the waterline prior to prorating.

1-YEAR LIMITED GENERAL WARRANTY: STINGRAY boats are warranted to the original owner to be free of defects in materials or workmanship for a period of one (I) year from the date of purchase (not to exceed two (2) years from date of manufacture) subject to all limitations and conditions contained herein.

WARRANTY INFORMATION: All Stingray warranties are limited warranties within the meaning of Title 1 of the Federal Trade Commission Improvement Act. A full statement of coverage, terms, and conditions applying to the Stingray warranty has been furnished to all dealers. In addition, information is supplied with each new boat. Please read carefully the terms and conditions provided in Stingray's Express Limited Warranty accompanying the sale of your boat. The actual length of warranty coverage for your boat may vary depending on the date of original manufacture and sale date of your boat.



















172SC

ADVENTURE AWAITS

Built on our high-performing Z-Plane hull, the 172SC is ready to wow you. There's in-floor storage with an oversize door to store gear with ease, the 25-quart cooler is the perfect size for the days drinks and snacks and is removable for easy pre-loading before your adventure, and the oversized cup holders will hold just about any drink. At the helm, enjoy the comfort of an oversized Italian steering wheel, and of course you can choose from multiple available hull colors to personalize your new 172SC. And if you're into watersports, you'll be sure to want to add the optional ski tow cage.

172SC DECK BOAT

LENGTH OVERALL	17'3" / 5.3 m
BEAM	90" / 228.6 cm
USABLE FUEL CAPACITY	21 gal / 79 liter
LIVEWELL CAPACITY	6 gal / 23 liter
DRY WEIGHT	1,900 lb / 90 HP Engine
MAX DRAFT	11.5" / 29.2 cm
MAX CAPACITY	7 ppl / 2,000 lbs / 907 kg
MAX DEPTH	56.0" / 142.2 cm
MAX BOW DEPTH	30.6" / 77.7 cm
MAX BOW LENGTH	58.5" / 148.6 cm
MAX ENGINE POWER	90 HP
DEADRISE	18 degrees
TRANSOM ANGLE	15 degrees















182SC

DECK BOAT

FUN TO DRIVE

The 182SC Deck Boat -- you won't believe this boat until you take it for a test drive. Not only is it just plain fun to drive, but it's also almost effortless. Seasoned boaters and first time boaters alike remark at how easy and fun the 182SC is when they try it out for the first time. In addition to its fun factor, the 182SC is loaded with storage, has plenty of room for all your passengers, water toys, and supplies, and it proves to be very functional. Seating is abundant. The stern area features wrap-around seating for your passengers to stretch out and enjoy the ride. Opposite the captain's chair is a rear-facing lounge so your co-captain can keep an eye on your tubers and wake boarders. See your local dealer today to reserve your 182SC. You don't want to miss out on the fun!



LENGTH OVERALL	19'1" / 5.8 m
BEAM	90" / 228.6 cm
USABLE FUEL CAPACITY	21 gal / 79 liter
LIVEWELL CAPACITY	6 gal / 23 liter
DRY WEIGHT	2,050 lb / 115 HP Engine
MAX DRAFT	12.5" / 31.8 cm
MAX CAPACITY	9 ppl / 2,025 lbs / 918 kg
MAX DEPTH	48.0" / 121.9 cm
MAX BOW DEPTH	26.4" / 67.1 cm
MAX BOW LENGTH	65.0" / 165.1 cm
MAX ENGINE POWER	115 HP
DEADRISE	19 degrees
TRANSOM ANGLE	15 degrees























192SC

DECK BOAT

FALL IN LOVE

This 20' 1" deck boat has quickly become one of the most popular models in our line. While it is clearly built for fun, its thoughtfully engineered interior and abundant storage compartments throughout enable you to bring a whole group of friends and lots of gear along to take full advantage of the fun factor. Take a look at the photo gallery, then contact your local dealer to schedule a test ride. If you're looking for a moderately sized deck boat with the easy maintenance of outboard power, we are confident that you'll fall in love with the 192SC.



LENGTH OVERALL	20'1" / 6.1 m
BEAM	100" / 254.0 cm
USABLE FUEL CAPACITY	40 gal / 151 liter
LIVEWELL CAPACITY	11 gal / 42 liter
DRY WEIGHT	2,700 lb / 150 HP Engine
MAX DRAFT	14.5" / 36.8 cm
MAX CAPACITY	10 ppl / 2,225 lbs / 1,009 kg
MAX DEPTH	63.0" / 160.0 cm
MAX BOW DEPTH	26.2" / 66.6 cm
MAX BOW LENGTH	65.0" / 165.1 cm
MAX ENGINE POWER	200 HP
DEADRISE	20 degrees
TRANSOM ANGLE	13 degrees













212SC

DECK BOAT

A BREATH OF FRESH AIR

Bring the kids, bring the friends, bring the tubes! The 212SC, STINGRAY's largest deck boat at just under 22 feet, is a breath of fresh air to the deck boat marketplace. In true deck boat style, the spacious floor plan is maximized with an open floor plan. The onboard changing room can double as a head compartment with the addition of the optional porta potti option. Hidden storage in the side-entry steps, beneath the seats, and below the cockpit floor provides plenty of room to store the necessities, leaving more room in the cockpit for friends and family. The service friendly outboard combined with the full fiberglass floor liner makes any type of maintenance a breeze. The 212SC's superb handling and smooth ride will make every person in the boat want to take their turn at the wheel. Let's go boating!

212SC DECK BOAT

LENGTH OVERALL	21'11" / 6.7 m
BEAM	102" / 259.1 cm
USABLE FUEL CAPACITY	50 gal / 189 liter
LIVEWELL CAPACITY	11 gal / 42 liter
DRY WEIGHT	3,100 lb / 150 HP Engine
MAX DRAFT	14.0" / 35.6 cm
MAX CAPACITY	12 ppl / 2,600 lbs / 1,179 kg
MAX DEPTH	63.0" / 160.0 cm
MAX BOW DEPTH	26.4" / 67.1 cm
MAX BOW LENGTH	65.0" / 165.1 cm
MAX ENGINE POWER	200 HP
DEADRISE	20 degrees
TRANSOM ANGLE	13 degrees











173CC





















173CC

THE MODEL YOU'VE BEEN WAITING FOR

Our 173CC center console is an exciting model built with our revolutionary Z-Plane hull ideal for all of your on the water adventures. There's plenty of room for crew and gear onboard, including a cooler/storage box with overboard drain, under-seat bow storage, and an aerated livewell aft. At the helm, there's a wide leaning post with comfortable seating, a 12V plug and dual USB ports at the dash, power trim and tilt, and a deluxe stainless steel steering wheel. The 173 also has SS rod holders, aft ladder, pull-up cleats and optional ski tow cage. And for assistance with storage, the windshield is completely removable.

173CC

LENGTH OVERALL	17'3" / 5.3 m
BEAM	90" / 228.6 cm
USABLE FUEL CAPACITY	30 gal / 114 liter
LIVEWELL CAPACITY	12+17 gal / 45+64 liter
DRY WEIGHT	2,100 lb / 90 HP Engine
MAX DRAFT	11.5" / 29.2 cm
MAX CAPACITY	7 ppl / 2,000 lbs / 907 kg
MAX DEPTH	70.0" / 177.8 cm
MAX BOW DEPTH	20.5" / 52.1 cm
MAX BOW LENGTH	23.0" / 58.4 cm
MAX ENGINE POWER	90 HP
DEADRISE	18 degrees
TRANSOM ANGLE	15 degrees



















206CC

ENJOY A DAY OUT WITH THE FAMILY

The 20-foot 206CC is a center console fishing boat and family deck boat rolled into one. The versatility alone makes it perfect for families with varied on-the-water interests. For the anglers, a low profile design makes it easy to navigate in low clearance areas, a helm seat for two has an adjustable seat / leaning post for fishing, a clean dash design leaves room for GARMIN electronics, the main helm seat lifts to reveal a conveniently located 26-gallon live well, and the forward bench offers an 18-gallon cooler that can be upgraded to a live well. For a day out with the family, it offers lots of space for maneuvering about, plus seating for nine passengers. To ensure that none of the deck area is cluttered when headed out for a day on the water, STINGRAY designers effectively made use of all the space on board to incorporate lots of storage areas around the boat.



LENGTH OVERALL	20'1" / 6.1 m
BEAM	100" / 254.0 cm
USABLE FUEL CAPACITY	40 gal / 151 liter
LIVEWELL CAPACITY	14+17 gal / 53+64 liter
DRY WEIGHT	2,700 lb / 140 HP Engine
MAX DRAFT	14.0" / 35.6 cm
MAX CAPACITY	9 ppl / 2,400 lbs / 1,088 kg
MAX DEPTH	74.0" / 188.0 cm
MAX BOW DEPTH	23.3" / 59.2 cm
MAX BOW LENGTH	60.0" / 152.4 cm
MAX ENGINE POWER	200 HP
DEADRISE	20 degrees
TRANSOM ANGLE	15 degrees



















216CC CENTER CONSOLE

SOMETHING FOR EVERYONE

Whether fisherman or family, this boat offers a little something for everyone. Let's start with the anglers. The first thing you will notice is all the rod holders — twelve are standard, not including the molded-in rod storage in the gunnels. Add the optional canvas t-top and you get eight more. The bow cushions can be removed and the rear seats folded down to serve as bow and stern casting platforms. A bow fishing seat and pedestal is optional. At the helm is a leaning post, 74-quart Engel cooler, real tempered glass windshield, and a large flat space for GARMIN electronics. A 14-gallon stern live well is standard, and the front bow cooler can be upgraded to a second live well. A trolling motor mount and harness are also optional. The optional raw water wash-down, along with a self-bailing cockpit and optional seagrass flooring, makes cleanup a breeze at the end of the day.

216CC CENTER CONSOLE

LENGTH OVERALL	21'8" / 6.6 m
BEAM	101" / 256.5 cm
USABLE FUEL CAPACITY	50 gal / 189 liter
LIVEWELL CAPACITY	14+17 gal / 53+64 liter
DRY WEIGHT	3,150 lb / 200 HP Engine
MAX DRAFT	15.0" / 38.1 cm
MAX CAPACITY	10 ppl / 3,050 lbs / 1,383 kg
MAX DEPTH	85.0" / 215.9 cm
MAX BOW DEPTH	24.0" / 61.0 cm
MAX BOW LENGTH	73.0" / 185.4 cm
MAX ENGINE POWER	225 HP
DEADRISE	21 degrees
TRANSOM ANGLE	15 degrees

















236CC CENTER CONSOLE

CALL YOUR FISHING BUDDIES NOW!

While the 236CC is designed for use as a coastal fishing boat, it's really a multi-purpose boat that can be used for a multitude of activities -- pulling kids on a tube, cruising to dinner, or just a leisurely ride along the waterways. Most noticeable, as you approach the 236CC, is the leaning post, outfitted with custom molded flip-up bolster seats and a 74-quart Engel cooler beneath, and the optional T-top. These features alone set it apart from its little brothers. Add a few options and this boat is ready for some coastal fishing. Go ahead and call your fishing buddies now!



LENGTH OVERALL	23'8" / 7.2 m
BEAM	101" / 256.5 cm
USABLE FUEL CAPACITY	62 gal / 235 liter
LIVEWELL CAPACITY	14+17 gal / 53+64 liter
DRY WEIGHT	3,648 lb / 250 HP Engine
MAX DRAFT	16.0" / 40.6 cm
MAX CAPACITY	12 ppl / 3,250 lbs / 1,474 kg
MAX DEPTH	85.0" / 215.9 cm
MAX BOW DEPTH	24.0" / 61.0 cm
MAX BOW LENGTH	73.0" / 185.4 cm
MAX ENGINE POWER	300 HP
DEADRISE	21 degrees
TRANSOM ANGLE	15 degrees





















253CC CENTER CONSOLE

E-FISH-ENCY

Our 253CC is the latest addition to our center console lineup and our initial model debut of the 2024 model year. With an overall length of 25' 3" and a beam of 9' 3", this model's standard features include a freshwater sink (head), an insulated fish/storage box (aft), and stainless steel rod holders with drain, to name a few, making it perfect for adventures with the entire crew or day-long fishing excursions. E-FISH-ENCY and fuel efficiency all in one.



LENGTH OVERALL	25'3" / 7.7 m
BEAM	119" / 281.9 cm
USABLE FUEL CAPACITY	128 gal / 485 liter
WATER CAPACITY	13 gal / 49 liter
DRY WEIGHT	$5,\!600\mathrm{lb}$ / Twin 200 HP Engines
MAX DRAFT	18.0" / 45.7 cm
MAX CAPACITY	12 ppl
MAX DEPTH	91.7" / 232.92 cm
MAX BOW DEPTH	38.8" / 98.6 cm
MAX BOW LENGTH	67.0" / 170.2 cm
DEADRISE	21 degrees
TRANSOM ANGLE	15 degrees





















273CC CENTER CONSOLE

TACKLE YOUR ADVENTURES

Our 273CC Center Console is our latest flagship and is our initial model debut of the 2023 model year. With a length of 27' 11" and beam of 102", this model is filled with fishing features and creature comforts for your entire crew. And you'll also enjoy the performance and fuel efficiency Stingray is known for with our Z-Plane hull design. Step aboard, get your gear ready, and get your lines wet.

273CC

LENGTH OVERALL	27'11" / 8.5 m
BEAM	102" / 259.0 cm
USABLE FUEL CAPACITY	165 gal / 625 liter
LIVEWELL CAPACITY	15+35 gal / 57+132 liter
DRY WEIGHT	6,700 lb / Twin 200 HP Engines
MAX DRAFT	18.0" / 45.7 cm
MAX CAPACITY	Yacht Certified
MAX DEPTH	91.7" / 232.9 cm
MAX BOW DEPTH	38.8" / 98.6 cm
MAX BOW LENGTH	67.0" / 170.2 cm
MAX ENGINE POWER	600 HP
DEADRISE	21 degrees
TRANSOM ANGLE	15 degrees







172DC





















172DC

MEMORIES START HERE

Welcome aboard our newest addition, the 172DC Dual Console. This model will take you along for an unforgettable ride. With plenty of bow seating, and room to stretch out, this boat quickly becomes a hangout spot with cup holders and storage space for the whole crew. The 172DC comes standard with a dual windshield, rod holders, and four fusion speakers to ensure your Stingray is always the life of the party. This model includes optional features such as a removable bow filler seat cushion, cooler, and a Bimini top to escape from the elements. The 172DC lives up to the Stingray standard of innovative excellence, performance, and efficiency.



LENGTH OVERALL	17'3" / 5.3 m
BEAM	90" / 228.6 cm
USABLE FUEL CAPACITY	21 gal / 79 liter
LIVEWELL CAPACITY	6 gal / 23 liter
DRY WEIGHT	1,900 lb / 90 HP Engine
MAX DRAFT	11.5" / 29.2 cm
MAX CAPACITY	7 ppl / 2,000 lb / 907 kg
MAX DEPTH	56.0" / 142.2 cm
MAX BOW DEPTH	30.6" / 77.7 cm
MAX BOW LENGTH	58.5" / 148.6 cm
MAX ENGINE POWER	115 HP
DEADRISE	18 degrees
TRANSOM ANGLE	15 degrees



















191DC DUAL CONSOLE

OUTBOARD POWER WITH OPEN LAYOUT

Do you love the open layout you get from a traditional deck boat but miss the full windshield of a standard bowrider? With the 191DC, you get the best of both. It has all the interior room and storage space of our very popular 182SC Deck Boat, but incorporates a full windshield to shield your passengers from the wind. Like other STINGRAY models, the 191DC features deep cockpit and bow areas for extra safety and security when underway. STINGRAY deck boats feature outboard power for ease of maintenance and large swim pods flank each side of the engine to make boarding a breeze.

191DC DUAL CONSOLE

LENGTH OVERALL	19'1" / 5.8 m
BEAM	90" / 228.6 cm
USABLE FUEL CAPACITY	21 gal / 79 liter
LIVEWELL CAPACITY	6 gal / 23 liter
DRY WEIGHT	2,000 lb / 115 HP Engine
MAX DRAFT	12.5" / 31.8 cm
MAX CAPACITY	9 ppl / 2,v025 lb / 918 kg
MAX DEPTH	61.0" / 154.9 cm
MAX BOW DEPTH	26.4" / 67.1 cm
MAX BOW LENGTH	65.0" / 165.1 cm
MAX ENGINE POWER	115 HP
DEADRISE	19 degrees
TRANSOM ANGLE	15 degrees

















201DC DUAL CONSOLE

OPEN DECK FEEL WITH A FULL WINDSHIELD

If you love the open feel of a deck boat, but like your boat to have a full windshield, you shouldn't have to choose. The 201DC Dual Console gives you all the interior room and storage space of our 192SC and the added full wrap-around windshield provides a nice shield from the wind while underway. This version gives you two sport bucket seats with bolsters. Deep cockpit and bow areas provide extra safety and security for your passengers. Behind the captain is a solid-surface countertop with a sink and faucet. A mix of dual console deck boat and traditional runabout seating works together to give you a roomy boat with seating for up to 10 passengers.



LENGTH OVERALL	20'1" / 6.1 m
BEAM	100" / 254.0 cm
USABLE FUEL CAPACITY	40 gal / 151 liter
LIVEWELL CAPACITY	11 gal / 42 liter
DRY WEIGHT	2,900 lb / 150 HP Engine
MAX DRAFT	14.5" / 36.8 cm
MAX CAPACITY	10 ppl / 2,225 lb / 1,009 kg
MAX DEPTH	69.5" / 176.5 cm
MAX BOW DEPTH	30.0" / 76.2 cm
MAX BOW LENGTH	56.0" / 142.2 cm
MAX ENGINE POWER	200 HP
DEADRISE	20 degrees
TRANSOM ANGLE	13 degrees





















211DC
DUAL CONSOLE

COMFORT AND PERFORMANCE

The 211DC is a delightful dual console dayboat that has magnificent comfort, exceptional versatility and thrilling performance in a sporty yet elegant design. The wide, sport deck design creates plenty of interior space, with a large bow and aft seating with filler options, a freshwater sink in the head compartment and a cockpit table with side mounts to make a day on the water with your crew a breeze. We will see you on the water!

211DC DUAL CONSOLE

LENGTH OVERALL	21'8" / 7.2 m
BEAM	101" / 256.5 cm
USABLE FUEL CAPACITY	42 gal / 159 liter
LIVEWELL CAPACITY	11 gal / 42 liter
DRY WEIGHT	3,248 lb / 150 HP Engine
MAX DRAFT	17.0" / 43.2 cm
MAX CAPACITY	11 ppl / 2,900 lb / 1,315 kg
MAX DEPTH	72.0" / 182.9 cm
MAX BOW DEPTH	33.0" / 83.8 cm
MAX BOW LENGTH	59.0" / 149.9 cm
MAX ENGINE POWER	225 HP
DEADRISE	21 degrees
TRANSOM ANGLE	15 degrees







Photos shown may contain optional equipment. Contact your local dealer for complete model details. Scan below to learn more.



39









231DC DUAL CONSOLE

COMFORT AND PERFORMANCE

The 231DC is a delightful dual console dayboat that has sumptuous comfort, exceptional versatility and thrilling performance in a sporty yet elegant design. The wide, sport deck design creates plenty of interior space, a convenient side-entry walkway, it has a large bow and aft seating with filler options, a sink and a head compartment large enough to double as a changing room. Add the optional custom STINGRAY wakeboard tower and you're ready for some watersports action! We will see you on the water!




LENGTH OVERALL	23'8" / 7.2 m
BEAM	101" / 256.5 cm
USABLE FUEL CAPACITY	52 gal / 197 liter
LIVEWELL CAPACITY	11 gal / 42 liter
DRY WEIGHT	3,648 lb / 250 HP Engine
MAX DRAFT	17.0" / 43.2 cm
MAX CAPACITY	12 ppl / 3,104 lb / 1,408 kg
MAX DEPTH	72.0" / 182.9 cm
MAX BOW DEPTH	33.0" / 83.8 cm
MAX BOW LENGTH	59.0" / 149.9 cm
MAX ENGINE POWER	300 HP
DEADRISE	21 degrees
TRANSOM ANGLE	15 degrees















COMING SPRING 2025



LENGTH OVERALL	25'3" / 8.5 m
BEAM	102" / 259.0 cm
USABLE FUEL CAPACITY	128 gal / 485 liter
WATER CAPACITY	13 gal / 72 liter
DRY WEIGHT	5,600 lb / Twin 200 HP Engines
MAX DRAFT	18.0" / 45.7 cm
MAX CAPACITY	12 ppl / TBD
MAX DEPTH	87.3" / 221.7 cm
MAX BOW DEPTH	19.0" / 48.3 cm
MAX BOW LENGTH	64.0" / 162.5 cm
MAX ENGINE POWER	450 HP
DEADRISE	20 degrees
TRANSOM ANGLE	15 degrees



Photos shown may contain optional equipment.
Contact your local dealer for complete model details.











269DC

RAISING THE BAR

The 269DC is the perfect combination of engineering form, function and performance. It has all the style and comfort of a dual console, plus it can be equipped for any activity you enjoy on the water. The 269DC delivers a smooth and dry ride attributed to the Z-Plane Deep V Hull and ample deck space suited for family comfort and convenience. Stingray has raised the bar in the crossover market with the 269DC by delivering exceptional value and quality. Comfortable seating throughout the boat, a well-equipped optional cockpit galley, plenty of storage space, a large step-down head compartment and the deep cockpit will make your trips to your favorite destination effortless.




LENGTH OVERALL	27'11" / 8.5 m
BEAM	102" / 259.0 cm
USABLE FUEL CAPACITY	130 gal / 492 liter
LIVEWELL CAPACITY	15 gal / 57 liter
DRY WEIGHT	6,400 lb / Twin 200 HP Engines
MAX DRAFT	18.0" / 45.7 cm
MAX CAPACITY	Yacht Certified
MAX DEPTH	91.7" / 232.9 cm
MAX BOW DEPTH	38.8" / 98.6 cm
MAX BOW LENGTH	67.0" / 170.2 cm
MAX ENGINE POWER	450 HP
DEADRISE	21 degrees
TRANSOM ANGLE	15 degrees











SPORT BOATS















230CX SPORT BOAT

THE "BERTH" OF SPEED

She looks fast just sitting still, and you'll be surprised just how quick and nimble she is out on the water. The twin sister to our already wildly popular 23 OSX open bow sport boat, this all-new 23 OCX cuddy sport boat is built on the same platform of style, comfort, and performance...but in a sleek enclosed bow version. Room down below to rest, sleep, and recharge from all the other boats you put in your wake.

23 OCX SPORT BOAT

LENGTH OVERALL	23'5" / 7.2 m
BEAM	100" / 254.0 cm
USABLE FUEL CAPACITY	56 gal / 212 liter
WATER CAPACITY	6 gal / 23 liter
DRY WEIGHT	3,364 lb / 250 HP Engine
MAX DRAFT	17.0" / 43.2 cm
MAX CAPACITY	10 ppl / 2,080 lbs / 943 kg
MAX DEPTH	58.0 / 147.3 cm
MAX BOW DEPTH	34.0" / 86.4 cm
MAX BOW LENGTH	59.0" / 149.9 cm
MAX ENGINE POWER	300 HP
DEADRISE	20 degrees
TRANSOM ANGLE	15 degrees



















230SX SPORT BOAT

STYLE, COMFORT & PERFORMANCE

Our 23 OSX is our outboard-powered sport boat, featuring a beam of 100" and an overall length of 23' 5" with an open bow design. With dual bucket seats, oversized cupholders, a removable 25 qt Igloo cooler, and so much more, this model is perfect for a day on the water with you and your crew. Step aboard to experience the style, performance, and comfort Stingray is known for.

23 OSX SPORT BOAT

LENGTH OVERALL	23'5" / 7.1 m
BEAM	100" / 254.0 cm
USABLE FUEL CAPACITY	56 gal / 212 liter
WATER CAPACITY	6 gal / 23 liter
DRY WEIGHT	3,364 lb / 250 HP Engine
MAX DRAFT	17.0" / 43.2 cm
MAX CAPACITY	10 ppl / 2,080 lbs / 943 kg
MAX CAPACITY MAX DEPTH	10 ppl / 2,080 lbs / 943 kg 43.8 / 111.2 cm
	, , ,
MAX DEPTH	43.8 / 111.2 cm
MAX DEPTH MAX BOW DEPTH	43.8 / 111.2 cm 34.0" / 86.4 cm









		#			CENTER (CONSOLES				DECK	BOATS				DI	JAL CONSOL	.ES			SPORT	BOATS
		OPTION	173CC	20600	216CC	23600	25300	273CC	172SC	182SC	192SC	212SC	172DC	19100	20100	21100	231DC	259DC	269DC	23 OSX	23 OCX
S	Black Accent Package	675	-	-	-	-	725	725	-	-	-	-	-	-	-	-	-	-	-		-
4GE	Fishing Package (see note 3)	802/803	1646	1646	1422	1422	-	-	977	977	977	977	-	977	977	977	977	-	-	-	-
S	Galley Entertainment Package (see note 2)	804	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6852	6852	-	-
A	Stainless Steel Hardware Package (see note 1)	820	S	S	S	S	S	S	s	s	S	S	s	s	s	s	S	S	S	-	-
	Deck Matched to Exterior Color	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4570	4570
	Battery Charger	41	244	244	244	244	948	948	244	-	244	244	244	-	244	244	244	948	948	244	244
	Battery On/Off Switch	36	152	S	S	S	-	S	152	152	152	S	152	152	152	S	S	-	-	-	-
	Cable Steering w/ Tilt Helm	39	429		-	-	-	-	429	429	429	-	429	429	429	-	-	-	-	-	-
	Dual Battery System w/ VSR	30	369	369	369	369	S	-	-	-	369	369	-	-	369	369	369	S	S	S	S
	Dual Battery System w/ VSR for Canada/CE option	307	-	-		-		-	-	-		-	-	-	-	-		-			
	Hydraulic Tilt Steering Merc	622	-	1867	1867	1867	-	-	-	-	1867	1867	-	-	1867	1867	1867	-	-	1867	1867
	Hydraulic Tilt Steering Suz	623	-	1867	1867	1867		-	-	-	1867	1867	-	-	1867	1867	1867	-		1867	1867
	Hydraulic Tilt Steering Suzuki (70-140HP)	618	1511	1511	-		-	-	1511	1511	1511		1511	1511	1511	-	-	-	-	-	
	Hydraulic Tilt Steering Yam	620	-			1867	-	-	-	-		-	-	-	-	-	1867	-		1867	1867
<u>ග</u>	Hydraulic Tilt Steering Yamaha 150 200 Mechanical	621	-	1154	1154	1154		-	-	-	1154	1154	-	-	1154	1154	1154	-	-		-
<u>S</u>	Hydraulic Tilt Steering Yam/Merc (70-115HP)	617	1511	-	-	-	-	-	1511	1511	1511	-	1511	1511	1511	-	-	-	-	-	-
PF	LED Docking Lights - Stainless Steel	313	-	403	S	-	491	491	-	-	382	403	-	-	403	S	S	491	491	382	382
님	Optimus Electric Tilt Steering Mercury Yamaha (NON XSB)	628	-		-	-	-	-	-	-	-	-	-	-	-	-	-	12926	-		-
呈	Optimus Twin Electric Tilt Steering Suzuki	627	-		-	-	12926	12926	-	-	-	-	-	-	-	-	-	12926	12926	-	
	Porcelain Head w/Holding Tank w/ Pump Out	35	-				1520	1520	-	-			-		-	-	-	1520	1520		
	Porta Potti with Dockside Pump Out	38	-	-			-	-	-	-		-	-			-	S	-	-	-	
	Sea Star Power Assist Steering	625	-	-		2850	-	-		-						-	2850	-		2850	2850
	Suzuki Optimus EPS Joystick Upgrade	626	-	-			14218	14218					-			-	-	14218	14218		
	Trim Tabs with LED Indicator - Electric	68	-		s	S	S	-		-					-	1168	1106	s		S	s
	Trolling Motor Harness	751	-		-		407	-		-	-		-			-	-	407			
	Windlass, Rode (200 ft) and Anchor	311	-				S	S	-	-			-			-		S	S		
	Yamaha EX Steering Helm	630	-	-			1577	1577		-	-	-			-	-	-	1577	1577	1577	1577
	Yamaha Helm Master EX Joystick w/ AutoPilot	629	-				19968	19968		-						-		19968	19968		
	ZipWake Interceptors Auto Ride Leveling	58	-				3536	S	-	-		-	-	-		-		3536	S		
	Airmar B175M Transducer Upgrade	794	-				1294	1294		-			-			-		1294			
	Aerated Livewell 750gph	750	-	-	-		-	-	712	712	712	712	712	712	712	712	712	-	-	-	
	Backrest Support for Leaning Post	759	574	-	-	-	-	-	-	-		-	-	-		-	-	-	-		-
	Blue LED package w/ Underwater Lights	314	-	-			-	-								-	-	-			
TIONS	Bow Cushion Filler (Center Console)	764	518	628	146	628	972	914		-					-	-		-			
E	Canvas T-Top	757		5423	5423	5423	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Fiberglass T-Top	760			7842	7842	S	S		-	-					-	-		-	-	
F	Cockpit Table Mount(s)	74	-	-	-	-	-	-	-	-	S	S	-	-	S	-	-	-	-	-	-
Š	Cockpit Table with Offset Leg	76					-	-		-	559	559	-		554	-	-		-		
ō	Cockpit Table with Side Mount(s)	806	-		-		-	-	-	-						468	S		S	-	
	Dual Bucket Seats w/ Bolster	82	-				-	-		-	-		-	S	S	S	S			S	S
	Dual Console Hard Top	758	-	-	-	-	-	-	-	-	-	-	-			-		S	S		
	Engel Cooler Seat Extension	768	_			-	-	-	_	_		_	-	_	-	_		-	1047		

See page 54 for notes.

		#			CENTER	CONSOLES				DECK	BOATS				DI	JAL CONSOL	ES			SPORT	T BOATS
		OPTION	173CC	20600	216CC	23600	25300	273CC	172SC	182SC	192SC	212SC	172DC	19100	20100	21100	231DC	259DC	269DC	23 OSX	23 OCX
E	ngel Cooler Under Leaning Post	753	417	-	-	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fi	iberglass Hard Top Bottom Color (see note 4)		-	-	570	570	570	570	-	-	-	-	-	-	-	-	-	570	570	-	-
Fi	iller Cushion - Bow	84	551	-	-	-	914	-	518	518	592	548	-	518	561	368	392	914		S	S
F	looring - Seagrass (Standard Layout)	32	-	973	972	972	-	-	-	781	856	726	-	781	811	811	811	-	-	-	-
FI	looring - Seagrass (T-Top Layout)	37	-	973	972	972	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
F	orward Livewell Center Console	766	712	712	712	712	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fi	reshwater System	72	-	681	681	681	S	S	-	-	-	-	-	-	-	-	S	S	S	-	-
F	usion 1400W 4 Channel Digital Amplifier	730	-	-	836	836	-	-	-	-	-	836	-	-	-	836	836	-		836	836
F	usion 2000W Premium Upgrage	734	-	-	-	-	251 S	2516	-	-	-	-	-	-	-	-	-	2516	2516	-	-
G	Garmin VHF w/ Antenna and Mount	733	-	-	-	1047	1047	1047		-	-	-	-t	-	-	-	-	1047	1047	-	-
G	Garmin 1643 Upgrade	795	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4144	-	-	-
G	Garmin 1243 & Airmar B150M Chirp	792	-	-	5315	5315	S	S	-	-	-	-	-	-	-	-	-	S	S	-	-
G	Garmin 743 & Transducer	790	1982	1982	1982	-	-	-	-	-	1982	1982	-	-	1982	1982	1982	-		1982	1982
G	Garmin 943 & Airmar B150M Chirp	791	-	2523	2523	2523	-	-	-	-	-	-	-	-	-	-	-	-		-	-
G	Garmin Fantom 18 Radar	786	-	-	-	-	3132	3132	-	-	-	-	-	-	-	-	-	3132	3132	-	-
G	Garmin Striker 4 & Transducer	789	-	-	-	-	-	-	396	396	-		-	396	396	-	-		-	-	-
G	Semlux Deluxe Outrigger Package w/ Shade	787	-	-	-	-	4169	4169	-	-	-	-	-	-	-	-	-	4169	4169	-	-
Н	lead Floor Relfex	707	-	-	S	S	-	-	-	-	-	S	-	-	-	S	S		S	-	
н	lelm Bucket Seat w/ Bolster	26	-	-		-	-	-	S	S	S	S	-	-	-	-	-			-	-
SN L	eaning Post with Cooler	767	-	S	S	S	-	-		-	-		1982	-	-	-	-				-
NOIT TO	eaning Post Livewell Rear Facing Seat	761		-	-		-	790	-		-			-	-	-	-			-	
Ö L	umitec Underwater Lights	315	-	-	-		S	S	-	-	430	430	-	-	430	430	430	S	S	S	S
	Mercury Digital Display	742	1520	1520	1520	1520	-	-	-	-	-		-	-	-	-	-			-	
ÖP	ressurized Water w/ Bow & Transom Shower	70	-	-	-	-	S	S	-	-	594	599	-	-	593	862	S	S	S	S	S
O R	A670 Stereo Upgrade w/ Remote	728	-	605	605	605	S	S	-	-	605	605	-	-	605	605	605	S	S	S	S
R	law Water Washdown	756	-	-	-	-	870	870	-	-	-	-	S	-	-	-	-	870	870		
R	Reflex on Flooring	712	-	2484	2498	1975	-	1757	-	1334	1703	1350	-	1655	1418	2111	2111	-	1437	1259	1005
R	Reflex on Sponsons	711	-	606	690	347	-	273	-	448	623	358	-	448	217	726	726	-	-	272	272
R	Removable Back Rest	78	-	-	-	-	-	-	-	-	344	-	-	-	-	-	-	-	-	-	-
S	econd Garmin 1243	793	-	-	-	4230	4230	4230	-	-	-	-	-	-	-	-	-	-	-	-	-
S	econd Garmin 743	796	-	-	1445	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S	econd Garmin 943	797	-	-	2012	2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S	ignature Speaker Upgrade WHITE	727	-	S	S	S	s	s	-	s	s	S	-	s	s	s	s	S	S	S	S
S	ki Tow Cage	672	1293	-	-	-	-	-	1293	-	-	-	-	-	-	-	-	-	-	-	-
S	itainless Steel Ski Pole (Pop Up)	671	-	-	-	-	993	993	-	-	-	-	-	-	-	954	903	993	993	913	913
S	tainless Steel Ski Pole (removable)	670	-	583	583	583	-	-	-	583	583	583	583	583	583	-	-		-	-	-
S	iuzuki Digital Display	741	1005	1005	1005	1005	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S	uzuki MFD Gateway	744	-	-	-	-	573	573	-	-	-	-	-	-	-	-	-	573	573	-	
Ta	ackle Storage and Trash Can Pull Out	763	-	-	S	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ta	all Windshield Exchange	715	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81	81
Te	eak Cockpit Table (upgrade)	94	-	-	-	-	-	-	-	-	360	360	1293	-	360	360	360	-	S	-	-
Y	amaha MFD Gateway	743	-	-	-	-	573	573	-	-	-	-	-	-	-	-	-	573	573	-	
Y	amaha Digital Gauges	740	1286	1286	1286	1286	-	-	-	-	-	-	-	-	-	-	-			-	

See page 54 for notes.

			CENTER (CONSOLES				DECK	BOATS				DL	JAL CONSOL	ES			SPORT BOATS		
	17300	20600	216CC	23600	253CC	273CC	172SC	182SC	192SC	212SC	172DC	191DC	20100	21100	231DC	259DC	269DC	23 OSX	23 OCX	
3-Year Hull Blister Protection Plan	S	S	S	S	S	S	S	S	S	S	S	S	s	S	S	S	s	S	S	
Aerated Livewell 1500gph	-	-	-	-	S	S	-	-		-	-	-	-	-	-	S	S	-	-	
Backlit Instruments & Circuit Breakers	S	S	S	S	-	-	S	S	-	-	S	S	-	-	-	-	S	-	-	
Bilge Pump 1100 GPH Auto/Man	S	S	S	S		-	S	S	S	S	S	S	S	S	S	-	-	S	S	
Bilge Pump 2000 GPH Auto/Man	-	-	-	-	S (2x)	S (2x)	-	-		-	-	-		-	-	S (2x)	S	-	-	
Black Gunnel Molding w/ Stainless Steel Insert	-	-		-		-	-	-			-	-	-	-	-	-	-	S	S	
Bolster Seats for Leaning Post	-	-	-	s	-	-	-	-		-	-	-	-	-	-	-	-	-	-	
Bow Anchor Locker	-	S	-	-	S	S	-	-	S	S	-	-	S	S	S	S	S	S	-	
Bow Cushions/Seats (removable)	-	S	S	S	-	-		-		-	-	-	-	-	-	-		-	-	
Bow Storage	S	-	S	S	-	-	S	S	S	S	S	S	-	S	S	-	S	S	-	
Cabin Lights	-	-			S	-		-		-	-	-	-	-	-	S	S	-	-	
Certifications: NMMA, USCG	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Cooler 25 qt Igloo (removable)	-	-	-	-	-	-	S	S	S	S	S	S	S	S	S	-	-	S	S	
Cooler/Storage Box with Overboard Drain	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Dash Accessory Plug 12V w/ Dual USB Ports	s	s	s	s	s	S	s	S	S	s	S	s	s	S	S	s	s	s	s	
Deluxe Console	-	-	S	S	-	-	-	-		-	-	-	-	-	-	-	-	-	-	
Deluxe Stainless Steering Wheel	S	S	S	S	s	S				-		-	-		-	s	S			
Digital Switching w/ Integrated Touch Screen	-	-							S	S			S	S	S		-			
Enclosed Head & Lighting					s	S				-	-					s	s			
Engel Cooler (74 qt)	_	S	S	S	-	-	-	-		-			-	-	-	-	-	-		
Exclusive Z-Plane Hull	s	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	s	
	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	S	S	
Fire Extinguisher Holder Insert	_	-				-	-	-	S			-	-	-	-	-	-	-	-	
Factory Installed Windscreen Fire Extinguisher Holder Insert Floor Storage w/ Oversized Door Freshwater Sink (cockpit)		_				S	S	S	S	S	S	S	S	S	S		S	S		
Freshwater Sink (cockpit)	_	_				-		-	S			-	S	-	-	_	S		-	
Freshwater Sink (head)					S	S	-									S	S			
Fuel System EPA Compliant	s	s	S	S	S	S	s	S	S	S	S	S	s	S	S	S	S	S	S	
Fusion 1500W Amplifier	-	-			S	S	-		-		-	-	-	-		S	S		-	
Fusion RA-60 Stereo BT-APP	S	S	S	S	S		S	S	S	S	S	S	S	S	S					
Fusion RA670 BT-APP-WIFI					S	S	-		-				-	-		S	S	S	-	
Insulated Fish/Storage Box (aft)					S	S										S	S			
Integrated Electric Horn	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Italian Steering Wheel							S	S	S	S	S	s	S	S	S			S	S	
Leaning Post w/ Cushion	S	S	S	S		_										-	-			
Limited Lifetime Hull Protection Plan	S	s	S	S	S	S	s	S	S	S	S	S	S	S	S	S	S	S	S	
Livewell Rear	S	S	S	S	S	S								-		S	S			
Lockable Head Door	S					S	_	-					-	-	_	-	-	-		
Oversized Cup Holders	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Removable Windshield	s						-								-					
Safety Glass Windshield	-	-		-		S		-		-	-	S	s	S	S	_	S	S	S	
Self Bailing Cockpit	S	S	s	S	s	S	-	-	S	S			S	S	S	S	S			
Stain Resistant Vinyl	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Stainless Steel Bow Rails			S	S	S	S	-							S	S	S	S			
Stainless Steel Bow Halls Stainless Steel Spring Line Cleats	-	-	S	S	S	S	S	-		-	S	-	_	-		S	S			
Stainless Steel Multi-Step Aft Ladder	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	s	
Stainless Steel Cleats	-	-		-				3	S	S		S	S	S	S	-		-		
Confiled dicci dicate	_	_	_	_	_		,	·	3	3	_	J	3	J	J	_	_	_	·	

- 1 Stainless Steel
 Hardware Package
 items vary by model and
 may include:
 - Gunnel Molding (White/Stainless) - SS Horn Cover
 - SS Cup Holders
- SS Windshield Supports
- SS Grab Handles
- SS Dash Rail
- SS Bimini Top Quick Connects
- 2 Galley Entertainment Package include:
 - Kenyon Grill
 - w/Inverter-Charger
 - Shore Power Hook-up & Wiring
 - SS Refrigerator
 - Battery Tray added to Back of Ski Locker
- 3 Fishing Package includes:
 - Raw Water Washdown - Trolling Motor Harness
 - Recirculating / Aerated
 - Rear Well - Fishing Seat w/ Base
- Fishing Seat w/ Bas (except 173CC)
- 4 Fiberglass T-Top Bottom Colors:
- Opt Sky Blue Opt – Abaco Green
- Opt Oyster
- Opt Black
- Opt Seaside Blue
- Opt Black Cherry
- S Denotes Standard
- Denotes Not Available

Number entry represents price in dollars (\$USD).

Prices, specifications, and availability subject to change. For current information, visit StingrayBoats.com.

			CENTER CO	NSOLES				DECK I	BOATS			SPORT BOATS							
	173CC	20600	216CC	23600	253CC	273CC	172SC	182SC	192SC	212SC	172DC	191DC	20100	211DC	231DC	259DC	269DC	23 OSX	23 OCX
Stainless Steel Pull-Up Cleats	S	S	S	S	S	S	S	-	-	-	S	-	-	-	-	S	S	S	S
Stainless Steel Rod Holders w/ Drain	-	S	S	S	S	S	-	-	-	-	-	-	-	-	-	S	S	-	-
Thru Hull Windlass System	-	-	-	-	S	S	-	-	-	-	-	-	-	-	-	S	S	-	-
Tinted Windscreen	-	-	-	-	-	-	S	S	S	S	S	-	-	-	-	-	-	-	-
Walk-thru Door	-	-	-	-	S	S	-	-	-	-	-	-	-	-	-	S	S	-	-
White Gunnel Molding with Stainless Steel Insert	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	s	S	S

S Denotes Standard

Number entry represents price in dollars (\$USD). Prices, specifications, and availability subject to change. For current information, visit StingrayBoats.com.

CANVAS & GELCOAT COLOR OPTIONS

	#			CENTER C	ONSOLES				DECK E	BOATS					SPORT BOATS					
	OPTION	173CC	206CC	216CC	23600	25300	27300	172SC	182SC	192SC	212SC	171DC	191DC	20100	211DC	231DC	259DC	269DC	23 OSX	23 OCX
Aft Extension Shade Top	67	-	-	-	-	-	1293	-	-	-	-	-	-	-	-	-	-	1293	-	-
Bimini Top - Forward	64	-	-	-	-	-	-	-	-	948	948	-	-	-	-	-	-	-	-	
Bimini Top	65	-	-	-	-	-	-	789	789	-	-	789	789	-	S	S	-	-	1070	1070
Bimini Top w/ Stainless Steel Frame	62	1144	1343	1273	1344	-	-	-	-	1578	S	-	-	1578	-	-	-	-	-	-
Cockpit and Bow Cover	17	-	-	-	-	-	-	-	-	-	-	-	904	1089	S	S	2035	-	S	S
Cockpit Cover	13	-	-	-	-	-	-	717	904	1005	S	717	-	-	-	-	-	-	-	-
Cockpit Cover and Bow Cover (Black ONL)	j 23	-	-	-		-	-	-	-	-	-	-		-	-	-	-	2035	-	
Cover - Console and Seat	754	862	-	606	606	-	1365	-	-		-	-	-	-	-	-	-	-	-	
Full Curtain Set (Windshield Connector, Sides &	Aft Curtain) 4	-	-	-	-	-	-	-	-	-	-	-	-	-	1293	-	-	-	-	
Mooring T-Top Cover (Carver Covers Sun-dura)	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-
Rear Drop Curtain (Black ONLY)	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1387	1387	-	
Side Curtains (Front and Both Sides)	16	-	-	-	-	-	-	-	-		-	-	-	-	-	490	-		-	
Spray Curtains Front/Sides (Black ONLY)	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5032	5032	-	-
Spray Shield w/ Gull Wings (Black ONLY)	21	-	-	1077	1077	1077	1077	-	-	-	-	-	-	-	-	-	-	-	-	
Walk-thru Flap	14	-	-	-	-	-	-	-	-		-	-	136	136	136	136	-	-	-	-
Exterior Color - Abaco Green	396	719	719	719	719	719	719	719	719	719	719	719	719	719	719	719	719	719	719	719
Exterior Color - Black	390	719	719	719	719	719	719	719	719	719	719	719	719	719	719	719	719	719	719	719
Exterior Color - Oyster	393	719	719	719	719	719	719	719	719	719	719	719	719	719	719	719	719	719	719	719
Exterior Color - Seaside Blue	398	719	719	719	719	719	719	719	719	719	719	719	719	719	719	719	719	719	719	719
Exterior Color - Sky Blue	392	719	719	719	719	719	719	719	719	719	719	719	719	719	719	719	719	719	719	719
Exterior Color- Black Cherry	394	719	719	719	719	719	719	719	719	719	719	719	719	719	719	719	719	719	719	719
Exterior Color - Yellow	391	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	719	719
Bottom Color - Abaco Green	376	429	429	429	429	429	429	429	429	429	429	429	429	429	429	429	429	429	429	429
Bottom Color - Black	370	429	429	429	429	429	429	429	429	429	429	429	429	429	429	429	429	429	429	429
Bottom Color - Oyster	379	429	429	429	429	429	429	429	429	429	429	429	429	429	429	429	429	429	429	429
Bottom Color - Seaside Blue	378	429	429	429	429	429	429	429	429	429	429	429	429	429	429	429	429	429	429	429
Bottom Color - Sky Blue	378	429	429	429	429	429	429	429	429	429	429	429	429	429	429	429	429	429	429	429
Bottom Color - Black Cherry	373	429	429	429	429	429	429	429	429	429	429	429	429	429	429	429	429	429	429	429
Bottom Color - Yellow	371	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	429	429

GELCOAT COLOR OPTIONS


















Color samples for representation purposes only - actual colors may vary. Color options are subject to change.

2025 MODEL SPECIFICATIONS

				CENTER CONSOLES					DECK BOATS						DUAL CONSOLES					
		173CC	20600	216CC	23600	253CC	273CC	172SC	182SC	192SC	212SC	172DC	191DC	20100	21100	231DC	259DC	26900	23 OSX	23 OCX
Engine Type		0/B	0/B	0/B	0/B	0/B	0/B	0/B	0/B	0/B	0/B	O/B	O/B	0/B	O/B	O/B	0/B	O/B	0/B	O/B
Length Overall	ft	17' 3"	20' 1"	21' 8"	23' 8"	25'3"	27' 11"	17' 3"	19'1"	20' 1"	21' 11"	17'3"	19' 1"	20' 1"	21'8"	23' 8"	25' 3"	27' 11"	23' 5"	23' 5"
	m in	5.3 90	6.1 100	6.6	7.2 101	7.7 111	8.5 102	5.3 90	5.8 90	6.1 100	6.7 102	5.3 90	5.8 90	6.1 100	7.2 101	7.2 101	8.5 111	8.5 102	7.1 100	7.1 100
Beam	cm	228.6	254	256.5	256.5	281.9	259	228.6	228.6	254	259.1	228.6	228.6	254	256.5	256.5	281.9	259	254	254
Bridge Clearance (Stan-	in	59	63 (73)	72	72	-	-	41	39	50	50	41	50.5	60	58	58	-	-	55	55
dard Windshield)	cm	149.9	160 (186)	182.9	182.9	-	-	104.1	99.1	127	127	104.1	128.3	152.4	147	147.3	-	-	139.7	139.7
Bridge Clearance Ttop/ Hardtop w/o External	in	-	96	96	96	110	105	-	-	-	-	-	-	-	-	-	110	105	-	-
Options	cm	-	243.8	243.8	243.8	279.4	266.7	-	-	-	-	-	-	-	-	-	279.4	266.7	-	-
Average Dry Weight	lbs	2100	2700	3150	3648	5,600	6700	1900	2050	2700	3100	1900	2000	2900	3248	3648	5600	6400	3364	3364
(w/ Popular Engine)	eng	90 HP	140 HP	200 HP	250 HP	Twin 200 HP	Twin 200 HP	90 HP	115 HP	150 HP	150 HP	90 HP	115 HP	150 HP	150 HP	250 HP	Twin 200 HP	Twin 200 HP	250 HP	250 HP
Usable Fuel Capacity	gal	30	40	50	62	128	165	21	21	40	50	21	21	40	42	52	128	130	56	56
	L	114	151 13	189	235	485	625 19	79	79	151	189	79	79	151	159	197	485 13	492 19	212 6	212 6
Water Capacity	gal L	-	49	13 49	13 49	13 49	72	-	-	3 (13) 11 (49)	3 (13) 11 (49)		-	3 (13) 11 (49)	13 49	13 49	72	72	23	23
Ice Box/Cooler Capacity	qt	48+68	48+68	74+68	74+68		60(2x)+185(2x)	25+22	25+22	67+25+45	67+25+45	25+22	25+22	67+25+45	25+32	25+32		60+16+185		
	L	45+64	45+64	70+64	70+64		57(2x)+175(2x)	24+21	24+21	63+24+43	63+24+43	24+21	24+21	63+24+43	24+30	24+30	-	57+15+80	-	-
Livewell Capacity	gal	12+17	14+17	14+17	14+17	15	15+35	6	6	11	11	6	6	11	11	11	15	15	-	-
	L	45+ <mark>64</mark>	53+ <mark>64</mark>	53+ <mark>64</mark>	53+64	57	57+1 <mark>32</mark>	23	23	42	42	23	23	42	42	42	57	57	-	-
Max Capacity	ppl/lb	7/2000	9/2400	10/3050	12/3250	12/3250	Yacht Cert	7/2000	9/2025	10/2225	12/2600	7/2000	9/2025	10/2225	11/2900	12/3104	12/TBD	Yacht Cert	10/2080	10/2080
. ,	ppl/kg	7/907	9/1088	10/1383	12/1474	12/1474	Yacht Cert	7/907	9/918	10/1099	12/1179	7/907	9/918	10/1099	11/1315	12/1408	12/TBD	Yacht Cert	10/943	10/943
Max Engine Power	HP	115	200	225	300	450	600	90	115	200	200	115	115	200	225	300	450	450	300	300
Molded Depth (Windshield Base to	in	63.8	62	68	68	91.7	72.5	49.5	46	55	55	49.5	55	55	58	58	71	72.5	54	51
Keel)	cm	162.1	157.5	172.7	172.7	232.9	184.2	125.7	116.8	139.7	139.7	125.7	139.7	139.7	147.3	147.3	180.3	184.2	137	129.5
Max Depth (w/ Standard Windshield)	in	70	74	85	85	91.7	91.7	56	48	63	63	56	61	69.5	72	72	87.3	91.7	43.8	58
Standard Windshieldj	cm in	177.8 11.5	188 14	215.9 15	215.9 16	232.9 18	232.9 18	142.2 11.5	121.9 12.5	160 14.5	160 14	142.2 11.5	154.9 12.5	176.5 14.5	182.9 17	182.9 17	221.7 18	232.9 18	111.2 17	147.3 17
Max Draft (Drive Up)	cm	29.2	35.6	38.1	40.6	45.7	45.7	29.2	31.8	36.8	35.6	29.2	31.8	36.8	43.2	43.2	45.7	45.7	33	45.7
Bow Depth (Bow to	in	8.5	9.5	10	10	18	18	12.5	11.5	10	10	12.5	11.5	14	17	17	19	18	15	20
Cushion Top)	cm	21.6	24.1	25.4	25.4	45.7	45.7	31.8	29.2	25.4	25.4	31.8	29.2	35.6	43.2	23.2	48.3	45.7	38.1	50.8
Bow Depth (Max	in	20.5	23.3	24	24	38.8	38.8	30.6	26.4	26.2	26.4	30.6	26.4	30	33	33	38.8	38.8	34	34
Depth)	cm	52.1	59.2	61	61	98.6	98.6	77.7	67.1	66.6	67.1	77.7	67.1	76.2	83.8	83.8	98.6	98.6	86.4	86.4
Bow Length (Max Length)	in	23	60	73	73	67	67	58.5	65	65	65	58.5	65	56	59	59	64	67	46.4	59
	cm	58.4	152.4	185.4	185.4	170.2	170.2	148.6	165.1	165.1	165.1	148.6	165.1	142.2	149.9	149.9	162.6	170.2	117.8	149.9
Cockpit Depth (At Helm)	in	23 58.4	24.5 62.2	24.5 62.2	24.5 62.2	39 99.1	39 99.1	30 76.2	27 68.6	27.5 69.9	27.5 69.9	30 76.2	29.5 74.9	32 81.3	34 86.4	34 86.4	37 93.9	39 99.1	33 83.8	33 83.8
Cockpit Width (Max Molded)	in	74.5	84	84	84	82.8	82.8	69	73	84	84	69	74.9	84.5	81	81	87	82.8	81	81
	cm	189.2	213.4	213.4	213.4	210.2	210.2	175.3	185.4	213.4	213.4	175.3	185.4	214.6	205.7	205.7	220.9	210.2	205.7	205.7
Cockpit Length (Max	in	162	188	192	208	241	241	156	169	156	178	156	104.3	106.5	120	120	130	241	118	103
Molded)	cm	411.5	477.5	487.7	528.3	612.1	612.1	396.2	429.3	396.2	452.1	396.2	264.9	270.5	304.8	304.8	330.2	612.1	299.6	261.6
Sleeping Capacity	ppl	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Deadrise	deg	18	20	21	21	21	21	18	19	20	20	18	19	20	21	21	20	21	20	20
Transom Angle	deg	15	15	15	15	15	15	15	15	13	13	15	15	13	15	15	15	15	15	15

Specifications may change at any time. For current information, visit StingrayBoats.com. Items listed in red are optional.

^A Weights vary depending on installed options.
^B Drive Up +5" on V3.0 to clear bottom of swim platform.

PERFORMANCE OPTIONS

				CENTER CONSOLES							DECK	BOATS		DUAL CONSOLES								SPORT BOATS		
OUTBOARD MODELS				173CC	20600	21600	23600	253CC	273CC	172SC	182SC	192SC	212SC	172DC	19100	20100	21100	231DC	259DC	269DC	23 OSX	23 OCX		
	Length Overall				20' 1"	21' 8"	23' 8"	25' 3"	27' 11"	17' 3"	19' 1"	20' 1"	21' 11"	17' 3"	19' 1"	20' 1"	21' 8"	23' 8"	25' 3"	27'	23' 5"	23' 5"		
	Usable Fuel Capacity (gal)				46	57	68	128	165	21	21	46	57	21	21	46	42	56	128	135	56	56		
	Avg Dry Weight (lbs), No Motor				2475	2669	3143	5000	6000	1400	1660	2257	2613	1400	1720	2290	2629	3046	5400	5500	2755	2895		
	Max Speed with Stainless Steel Propeller			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
	Standard Propeller			~	•	•	•	•	~	~	~	~	_	~	~	~	~	~	~	~	•	_		
	Engine	Prop HP	Motor Wt																					
	F90	90	353	42 P	-	-	-	-	-	42 P	43 P	-	-	42 P	43 P	-	-	-	-	-	-	-		
	F115	115	425	44 Q	-	-	-	-	-	-	47 Q	40 TT	-	44 Q	46 Q	40 TT	-	-	-	-	-	-		
	F150	150	487	-	47 R	47 R	-	-	-	•	-	50 S	46 R	•	-	49 S	48 R	-	•	-	-	-		
	F200	200	489	-	53 S	50 S	46 R	-	-	-	-	52 S	51 S	-	-	54 T	50 R	48 R	-	-	-	-		
УАМАНА	F250	250	575	-	-	-	53 GG	-	-	-	-	-	-	-	-	-	-	50 GG	-	-	67 V	66 V		
Ž	VF250	250	562	-	-	-	53 GG	-	-	-	-	-	-	-	-	-	-	55 GG	-	-	67 V	66 V		
>	F300	300	562	-	-	-	56 HH	-	-	-	-	-	-	-	-	-	-	56 GG	-	-	71 V	70 V		
	T F150	300	1044	-	•	•	-	48 PP	45 PP	-	•	-	•	-		•	-	-	TBD	45 PP	-	-		
	T F200	400	1050	-	-	-	-	52 PP	52 PP			-	-	-	-	-	-	-	TBD	52 PP	-	-		
	T F250	500	1,124	-	-		-	-	57 QQ	-	-	-	-	-	-	-	-	-	-	-	-	-		
	T F300	600	1,124	-	-	-	-	-	60 RR	-	-	-	-	-	-		-	-	-	-	-	-		
	DF90	90	352	42 CC	-	-	-	-	-	42 CC	-	-	-	42 CC	-	-	-	-	-	-	-	-		
SUZUKI	DF115	115	412	-	-	-	-	-	-	-	48 EE	40 CC	-	-	47 EE	40 CC	-	-	-	-	-	-		
	DF140	140	412	-	42 DD	-	-	-	-	-	-	43 CC	•	-	-	43 CC	-	-	-	-	-	-		
	DF150	150	522	-	47 LL	47 KK	-	-	-	-	-	49 LL	46 KK	-	-	49 LL	47 KK	-	-	-	-	-		
	DF200	200	529	-	53 MM	52 LL	47 KK	-	-	-	-	52 MM	52 MM	-	-	54 MM	52 LL	50 LL	-	-	-	-		
	DF250	250	606	-	-	-	50 MM	-	-	-	-	-	-	•	-	-	-	55 LL	-	-	65 TT	63 TT		
	DF300	300	606	-	-	-	54 MM	-	-	-	-	-	-	-	-	-	-	54 MM	-	-	69 TT	65 TT		
	T DF150	300	1062	•	•	•	•	47 RR		-	•	-	•	-	-	•	•		TBD	45 RR	-	-		
	T DF200	400	1058	-	-	-	-	52 SS	52 RR	-	-	-	-	-	-	-	-	-	TBD	52 RR	-	-		
	T DF300	600	448	-	-	-	-	-	60 RR	-	-	-	-	-	-	-	-	-	-	-	-	-		

PROPELLER OPTIONS

(OUTBOARD)

MERCURY OUTBOARD

- 19" Aluminum
- C 21" Aluminum
- AB 16" Stainless Steel BV 17" Stainless Steel
- AC 18" Stainless Steel
- W 19" Stainless Steel
- Y 21" Stainless Steel
- AA 23" Stainless Steel

YAMAHA OUTBOARD

- TT 15" Aluminum
- 17" Aluminum Q 19" Aluminum
- B 17" Stainless Steel
- S 18" Stainless Steel
- TT 19" Stainless Steel
- U 21" Stainless Steel
- V 23" Stainless Steel
- FF 17" Saltwater
- GG 18" Saltwater
- HH 19" Saltwater

SUZUKI OUTBOARD

- BB 17" Aluminum
- CC 19" Aluminum DD 21" Aluminum
- EE 23" Aluminum
- JJ 17" Stainless Steel
- KK 19" Stainless Steel
- LL 21" Stainless Steel MM 23" Stainless Steel
- TT 26" Stainless Steel

MULTI-PROP (L/R) OUTBOARD

- NN 17" Stainless Steel
- 00 18" Stainless Steel
- PP 19" Stainless Steel
- QQ 21" Stainless Steel
- RR 23" Stainless Steel
- SS 23" Contra Stainless Steel

*Only EPA approved engines are available in the U.S. See your dealer for details.

Specifications are subject to change at any time without notice or obligation. To avoid disappointment at the time of purchase, please check with your Stingray dealer for current information and specifications.

Performance data comes from factory testing, independent engine manufacturer testing, or independent magazine testing. All boat speeds and propellers shown are to be used as guidelines only for general applications as boats and operating conditions vary. The best propeller for specific boating needs can be determined only by performance testing by your dealer. Results on individual boats may vary depending on many factors, including driver, weather, altitude, load, condition of propeller, lower unit, and boat bottom. Matching of our boat and use conditions to the propeller by your dealer will make your boating experience more enjoyable and keep your engine running longer and stronger. Propellers used during testing are shown to be used as a guideline only and are not intended to be used as an absolute recommendation.

CAUTION: Engine should be propped based on load to run at the upper end of the recommended RPM range at WOT to avoid damage caused by lugging. Throttle position must be reduced to avoid excessive RPM when using lower pitch prop to improve low-end performance for water sports.

Speeds shown are the maximum expected at sea level with light load, 70° F temperature, and the best performing SS propeller.











































SCAN FOR LATEST DIGITAL **VERSION OF** THIS BROCHURE!