



Stingray Boats began over 44 years ago with two molds, a few skilled craftsmen, and a passion to build great performing boats. That passion has endured and continues today. Boatbuilding is not just a business here at Stingray; it's a part of who we are. Building lifelong memories one boat at a time!

Stingray is a privately owned, family-run company that focuses on building quality, not quantity. We also provide our customers with the assurance that they are getting the most boat for the best price. This has been the driving force of Stingray for over four decades and has provided us with the honor of having two-time, three-time, and even four-time Stingray boat owners. It is this loyal following of families who love boating that will continue to drive our passion to keep building great boats for many years to come.

At Stingray, we know that our customers lead busy lives and want to make the most of their free time and money on the water. With that in mind, we take advantage of our performance history and the current market trends and combine that with our passion for building great boats. Stingray's motto is quality and legendary performance that has been unsurpassed since 1979.











ENVIRONMENTALLY RESPONSIBLE

Being a leader in technology is more than just a philosophy — it's a commitment designed to help ensure the preservation of our natural resources for generations to come. At Stingray, fuel efficiency, waste reduction, recycling, and reduced stacked emissions are not just buzzwords — they are measured goals of each employee. Our commitment goes beyond that which is mandated or regulated — it is an internal philosophy to do our part to protect the environment for future generations. Consider a few of the things that we are doing to protect our planet:

USE OF FOUR-CYCLE ENGINES: Stingray uses only three-star rated, four-cycle engines, which are the cleanest and most fuel-efficient available for marine use. Better fuel efficiency translates into less fuel consumption. Three-star engines can be 4x to 10x cleaner than two-cycle outboards, which means less pollution to our environment.



OZONE-FRIENDLY FLOTATION FOAM: Stingray uses non-ozone deleting flotation foam by FSI EPA Approved. It is free of chlorofluorocarbons — gases that are depleting the Earth's ozone layer. Ask about the use of zero-ozone deleting (zone 3) foam when considering boating brands.



LOW VOC GELCOATS AND RESINS: Stingray was the first boat manufacturer to convert to the use of low styrene laminating resins and gelcoats. The combination of these low VOC materials, coupled with the latest in low-pressure, high-temperature spray equipment, has reduced Stingray's VOC stacked emissions by over 55%.



WASTE REDUCTION / RECYCLING: Stingray has a recycling program for most waste materials including, but not limited to, cardboard, composites, aluminum, pallets, and metal drums. In cardboard alone, Stingray recycles over 163,000 pounds per year.

COMMITTED: We want Stingray owners not only to have fun on the water but also to know that they are helping protect the environment at the same time.

FINANCIALLY SOLID

With Dun and Bradstreet's highest credit rating, Stingray is one of the most financially solid manufacturers in the industry. Stingray dealers and customers can depend on strong support for years to come. We are proud of our debt-free status — a claim that few builders can make!

VALUE & QUALITY-ORIENTED

As one of the founding members of the American Boatbuilders Association (ABAboats.com), Stingray is in excellent company with Bryant, Chaparral,



Formula, Grady-White, MasterCraft, Monterey, Nautique, Regal, Sportsman, Tiara Yachts, and Tigé. This is another assurance that you are receiving the highest quality materials available at the best possible price. ABA members pool their expertise and resources to purchase only the best products and services available.

Z-Plane Hull 4 Technology 4 Certifications 5 Warranty 5
Deck Boats
172SC
Center Consoles
173CC 14 206CC 16 216CC 18 236CC 20 253CC 22 273CC 24
Dual Consoles
191DC
Sport Boats
23 OSX / 23 OCX36
Standards & Options



Performance Options43



The Stingray Z-plane hull is unparalleled in the industry. It is up to 30% more efficient than other boat hulls. Developed on a CAD (Computeraided Design) system, the hull design is unlike competitors' add-on lifting strakes. Stingray Z-planes act as horizontal planing faces when submerged; when very near the water's surface, the outside edge acts as a spray release, passing through the water with no bubbles or vortices. The smooth flow of water allows the propeller better bite during straight-line speed and hard cornering maneuvers. Extending beneath the swim platform, the design allows for quicker planing and three-point contact with the water at faster speeds. This combination results in a quicker hole shot, industry-leading top-end, and smooth handling at all speeds.

TECHNOLOGY DRIVEN

For the past four decades, Stingray has pioneered many of the advances of technology in the boat building industry. Equipment and tools that were not available just a few years ago are now the mainstays that enable Stingray to achieve unparalleled precision and efficiency (i.e., computer-aided designs, multi-axis 3D milling machines, water jet cutting machines, and CNC routers).

COMPUTER-AIDED DESIGN AND MANUFACTURING: Every Stingray begins as a three-dimensional computer model. We "build" the boat on-screen and carefully scrutinize each component for size and fit, making all of the necessary adjustments before we ever commit the design to fiberglass. We even use a virtual human to check for legroom and headroom — and to be sure that all of the controls are located comfortably within reach. The information from this 3D model is sent to the next step in the process: 3D milling.

MULTI-AXIS 3D MILLING MACHINE: With information available from a 3D computer model, milling machines can produce a full-size model in a matter of hours — a task that would take weeks otherwise. With unequaled precision, the running surface of the hull is cut to the exact specifications. Our master craftsmen then provide the mirror finish that is a hallmark of Stingray quality.

ROBOTIC LAMINATION FACILITY: In our lamination building, a custom-designed overhead rail system was developed just for Stingray. Parts under construction are moved from one bay to the next for layup and curing. This system also keeps track of our in-process fiberglass parts while optimizing mold usage and improving productivity. Process automation also increases worker safety, helps maximize efficiency, and improves quality.

WATER JET CUTTING MACHINES: Many parts on a Stingray are cut using one of our high-pressure water jet machines. A stream of water no thicker than a human hair slices quickly and neatly through a variety of materials much easier than could be done by hand. Materials such as sea grass, foam, vinyl, canvas, rubber, and fiberglass are quickly transformed into precision quality parts.

CNC ROUTERS: Computerized numeric-controlled routers are used to cut various sheet goods into high quality parts. The computer allows us to "nest" a group of parts efficiently to minimize waste. Because the process is computer controlled, each part is dimensionally identical from one run to the next and can be finished much faster and less expensive than those produced by hand.



CE CERTIFICATION: Stingray competes on a global scale and has dealerships located throughout the world from the Middle East throughout Europe and Asia. Stingray boats destined for these countries must meet stringent standards prescribed by the Consultants Europe (CE) and bear the CE mark.



NMMA/USCG CERTIFICATION: All Stingray boats meet or exceed National Marine Manufacturers Association (NMMA) and U.S. Coast Guard (USCG) certification requirements for safety, such as horsepower, load capacity, steering, fuel systems, compartment ventilation, navigation lighting, and backfire flame control.



CSI AWARD: Annually, the Marine Industry CSI Awards program honors participating manufacturers that actively measure customer satisfaction and pursue continuous improvement to better serve the consumer. This measurement is based on responses provided by customers purchasing a new boat and/or engine (more than 155,000 last year alone). Over the years, Stingray has acquired numerous CSI awards for achieving and maintaining an independently measured standard of excellence of 90 percent or higher in initial customer satisfaction over an annual award period.







WARRANTY

Every Stingray boat is backed by a comprehensive warranty for peace of mind.

LIMITED LIFETIME TRANSFERABLE STRUCTURAL HULL WARRANTY: Stingray Boat Co. (hereafter "STINGRAY") warrants the HULL against structural defects in material and workmanship for a period of ten (10) years from the date of purchase or eleven (11) years from the date of manufacture, whichever period elapses first. The warranty provided in this section is to the original retail owner only and applies only if the boat is purchased from an authorized STINGRAY Dealer. During the warranty period described above, STINGRAY will repair or replace, at its option, the fiberglass HULL if it is unfit or unsafe for general use as a pleasure craft under normal conditions and, in Stingray's discretion, is determined to be structurally defective in material or workmanship. For purposes of this warranty, the HULL is defined as the part of the boat in contact with the water when at rest. The warranty provided in this section is subject to all limitations and conditions contained herein. The remaining term of this HULL Warranty, up to five (5) years, may be transferred to the second owner if, within 60 days of purchase, the new owner registers the transfer with an authorized STINGRAY Dealer and pays a seventy-five US dollar (\$75 USD) transfer fee. Visit stingrayboats.com/transfer for further details on transferability.

3-YEAR LIMITED OSMOTIC HULL BLISTER WARRANTY: STINGRAY warrants against hull blistering caused by osmosis that is discovered and reported to STINGRAY during the first 3 years of ownership (subject to the prorated schedule below). The warranty provided in this section applies to the original retail owner only and is VOID if the original factory gelcoat surface has been altered by excessive sanding, scraping, sandblasting, or accident repair. A marine barrier coating with proper surface preparation is required if the boat is bottom painted or if the boat is left in fresh or saltwater for more than 60 days in any 90 day period. In the event of osmotic blistering, STINGRAY will, at its option, repair or cause to be repaired any hull damage and apply a layer of marine barrier coating to the affected surface area(s). Osmotic hull blisters are defined as those blisters, larger than one-eighth inch in diameter and with a depth greater than one-sixteenth inch, which occur on the hull below the waterline. Repairs will be performed (at STINGRAY'S discretion) by the selling dealer, a designated service center, or the STINGRAY factory. The following prorated schedule of parts and labor will be covered by STINGRAY: Blistering discovered and reported to STINGRAY less than one (1) year from date of purchase - 100%; between one (1) and two (2) years from date of purchase - 66%; between two (2) and three (3) years from date of purchase - 33%. All osmotic hull repairs must be pre-approved by STINGRAY prior to any work being performed. Transportation cost is the boat owner's responsibility. Reimbursement shall be limited to one repair, not to exceed eighty US dollars (\$80 USD) per foot of hull length resting below the waterline prior to prorating.

1-YEAR LIMITED GENERAL WARRANTY: STINGRAY boats are warranted to the original owner to be free of defects in materials or workmanship for a period of one (I) year from the date of purchase (not to exceed two (2) years from date of manufacture) subject to all limitations and conditions contained herein.

WARRANTY INFORMATION: All Stingray warranties are limited warranties within the meaning of Title 1 of the Federal Trade Commission Improvement Act. A full statement of coverage, terms, and conditions applying to the Stingray warranty has been furnished to all dealers. In addition, information is supplied with each new boat. Please read carefully the terms and conditions provided in Stingray's Express Limited Warranty accompanying the sale of your boat. The actual length of warranty coverage for your boat may vary depending on the date of original manufacture and sale date of your boat.



17'3"

5.3 m

BEAM **90"** 228.6 cm USABLE FUEL CAPACITY

21 GAL 79 L

1,900 LB

w/90 HP Engine

MAX DRAFT (Drive Up)

11.5"

MAX CAPACITY

7 PPL / 2,000 LB





- Stretch your legs in the bow with port and starboard seating with backrests, or use the optional bow filler cushion to convert to a comfortable lounging area.
- Enjoy the convenience of a removable 25 quart Igloo cooler, ideal for loading up food and drinks for your crew's adventure out on the water.
- Easily board your 172SC from the water with the stainless steel multi-step ladder located on the transom aft.
- The optional ski tow cage is perfect for those watersport activities you and your family can enjoy together out on the waterways.
- And for storing and accessing those watersport toys, there's a convenient storage compartment with an oversized door in the floor.













More information at StingrayBoats.com/172SC



19'1"

BEAM **90"** 228.6 cm USABLE FUEL CAPACITY

21 GAL 79 L

2,050 LB w/115 HP Engine

MAX DRAFT (Drive Up)

12.5"
31.8 cm

MAX CAPACITY

9 PPL / 2,025 LB

918 kg






- The 182SC bow features wide lounge seating with reclined backrests (filler cushions are optional), a large self-draining cooler to keep your drinks and snacks cool for the day, ample cupholders, and under seat storage compartments for storing gear while underway.
- A low profile dash design optimizes visibility and creates a sporty look that is further complemented with a sport bucket seat for the captain.
- A roomy layout is enhanced with lots of storage, including a large floor storage locker for a wakeboard or other gear; a 25-quart removable cooler for bringing pre-chilled drinks aboard is conveniently hidden under the rear lounge seat.
- Comfort is optimized with wrap-around seating for your passengers to stretch out and enjoy the ride; a rear-facing lounge seat allows your co-captain to keep an eye on tubers and wakeboarders.













More information at StingrayBoats.com/182SC



20'1"

6.1 m

BEAM **100**" 254.0 cm USABLE FUEL CAPACITY

40 GAL

2,700 LB w/150 HP Engine

MAX DRAFT (Drive Up)

14.5"

MAX CAPACITY

10 PPL / 2,225 LB

1,009 kg






- The helm station boasts a custom low-profile dash with room for accessories and a sporty windshield visor; a deep bow and wide body make the 192SC extra roomy; add the optional filler cushions to create a sun pad; below the non-skid lid is a slideout, two-step bow ladder, and anchor locker storage.
- A freshwater sink and removable trash can are conveniently located amidships for easy access by all passengers.
- An optional fishing package includes a trolling motor harness and plug and a bow fishing seat.
- An optional table can be used in the cockpit or bow; the optional forward bimini provides shade from the sun; in addition to the convenient aft entry, the 192 SC features port side steps for easy entry.













More information at StingrayBoats.com/192SC



LENGTH OVERALL 21'11"

6.7 m

BEAM **102**" 259.1 cm USABLE FUEL CAPACITY

50 GAL

AVG DRY WEIGHT 3,100 LB w/150 HP Engine

MAX DRAFT (Drive Up)

14"
35.6 cm

MAX CAPACITY
12 PPL / 2,600 LB
1,179 kg





- A wide beam makes this bow as roomy as it looks; flanked between lounges is
 one of three onboard ice chests; the bow platform step-thru is non-skid and
 houses a beach boarding ladder and anchor storage.
- A freshwater sink is conveniently positioned amidships; a trash receptacle compartment is covered below.
- The helm station boasts a custom low-profile dash with room for accessories and a sporty windshield visor.
- An open floor plan for easy movement on deck; hidden storage in the side-entry steps, beneath the seats, and below the floor provides plenty of room to store necessities, leaving room for family and friends.
- Changing into swimsuits is convenient with the roomy onboard changing compartment; for added passenger convenience, the changing compartment can be upgraded to a head compartment with a Porta Potti; the compartment also houses the cockpit table.















More information at StingrayBoats.com/212SC

Photos shown may contain optional equipment. Contact your local dealer for complete model details.



17'3"

5.3 m

BEAM **90"** 228.6 cm USABLE FUEL CAPACITY

30 GAL

2,100 LB w/90 HP Engine


MAX DRAFT (Drive Up)

11.5"
29.2 cm

MAX CAPACITY
7 PPL / 2,000 LB
907 kg







- At the helm, there's a wide leaning post with comfortable seating, a 12V plug and dual USB ports at the dash, power trim and tilt, and a deluxe stainless steel steering wheel.
- The 173CC also has stainless steel rod holders, aft ladder, pull-up cleats and optional ski tow cage.
- And for assistance with storage, the windshield is completely removable.











More information at StingrayBoats.com/173CC

Photos shown may contain optional equipment. Contact your local dealer for complete model details.



20'1"

6.1 m

BEAM **100**" 254.0 cm USABLE FUEL CAPACITY

40 GAL

2,700 LB w/140 HP Engine


MAX DRAFT (Drive Up)

14" 35.6 cm

MAX CAPACITY

9 PPL / 2,400 LB





- Designed for fishing and family, the 206CC has comfortable vinyl bow seating for passengers; for fishing, unsnap the cushions and stow them away; also in the bow area are storage compartments under each bow seat, and a large 48-quart insulated cooler; a forward bench covers the standard 17-gallon cooler/livewell.
- Other features include an optional freshwater sink amidships, rod storage, self-bailing cockpit, a built-in tackle box, and more.
- The deluxe console is standard on 206 models and above; the onboard head compartment comes with a standard pump-out Porta Potti.
- Lots of walk-around space makes it easy to quickly move around the boat; two rear seats lift up for seating and quickly fold down for use as casting platforms; the helm seat has an adjustable seat/leaning post and lifts to reveal a 26-gallon livewell.
















More information at StingrayBoats.com/206CC



21'8"

6.6 m

BEAM **101**" 256.5 cm USABLE FUEL CAPACITY

50 GAL 189 L

3,150 LB w/200 HP Engine

MAX DRAFT (Drive Up)

15"

38.1 cm

MAX CAPACITY

10 PPL / 3,050 LB

1,383 kg





Photos shown may contain optional equipment. Contact your local dealer for complete model details.



- The bow area is roomy with lots of storage space beneath the seats; for fishing, unsnap the cushions and stow them; a forward bench covers the standard 17-gallon cooler/livewell.
- The helm area features flip-up bolsters, stainless steel beverage holders, a 12-volt accessory outlet, twin USB chargers, a full instrument panel, a large space to mount third-party electronics, rod holders, and a 74-quart Engel cooler; the onboard head compartment comes with a standard pumpout Porta Potti.
- Lots of walk-around space makes it easy to quickly move around the boat; two rear seats lift up for seating and quickly fold down for use as casting platforms; there are storage areas beneath the seats and a livewell that can be upgraded with a recirculating/aeration option.
- Other features include an optional freshwater sink, multiple rod holders throughout the boat, a built-in tackle box, a fold-out waste basket, self-bailing cockpit, and much more; whether it's fishing or spending time with the family, the 216CC is loaded with amenities.





More information at StingrayBoats.com/216CC



LENGTH OVERALL

23'8"

7.2 m

BEAM 101"

256.5 cm

USABLE FUEL CAPACITY

62 GAL 235 L

AVG DRY WEIGHT 3,648 LB

w/250 HP Engine

MAX DRAFT (Drive Up)

16"

40.6 cm

MAX CAPACITY

12 PPL / 3,250 LB

1,474 kg






- Large bow features forward-facing lounges, padded seatbacks, stainless grab rails, easy entry access, and storage bins; dual cabinets with countertops (fold-down faucet and sink starboard) are standard; a water washdown is optional.
- A leaning post is outfitted with custom-molded flip-up bolsters and a 74-quart Engel cooler.
- A forward-facing stern bench seat features flip-up seats; the center cushion can be removed to create a casting platform; below the platform is a 14-gallon livewell.
- A bench forward of the console features padded seating, stainless steel grab handles, and a cooler that can be upgraded to a livewell.
- The onboard head compartment comes with a standard pump-out Porta Potti.
- The helm includes a windshield, stainless grab handles and cup holders, a storage nook, USB and 12-volt outlets, backlit switches, a large flat space for a GPS or other third-party electronic display, and much more.
- Self-bailing cockpit











More information at StingrayBoats.com/236CC



LENGTH OVERALL 25' 3"

7.7 m

BEAM **109**" 276.9 cm USABLE FUEL CAPACITY

128 GAL 485 L

5,600 LB

w/Twin 200 HP Engines

MAX DRAFT (Drive Up)

18"

45.7 cm

MAX CAPACITY
12 PPL







- From storage and seating, to complete fishability, this boat is packed with everything you need to make those memories out on the water incredible.
- The helm showcases a Garmin 1243 touchscreen, a dash accessory 12V plug w/ two USB ports for charging your electronics, Fusion stereo w/ Bluetooth, and a deluxe stainless steering wheel.
- Family and friends will notice the comfort and privacy of the enclosed head with lighting. Upgrade to a porcelain head complete with a holding tank and pump out.
- Enjoy the look and strength of stainless steel hardware throughout, including spring line cleats, bow rails, rod holders with drains, and multi-step aft ladder.
- Come out of the water and hose off easily with the pressurized water transom shower.
- Color match the underside of the fiberglass hardtop to your chosen hull color (optional feature) to add to the look of your new 253CC. Topside, enjoy the optional Gemlux Deluxe Outrigger Package w/ shade for adding protection from the elements.
- You can also opt for the Black Accent Package providing black powder coat, black SS molding, and black logo.











More information at StingrayBoats.com/253CC



LENGTH OVERALL **27' 11"**

8.5 m

BEAM **102**" 259.0 cm USABLE FUEL CAPACITY

165 GAL

AVG DRY WEIGHT **6,700 LB**w/Twin 200 HP Engine

MAX DRAFT (Drive Up)

16" 40.6 cm

Yacht Certified








- Our newest flagship model, built on our proprietary Z-Plane fuel efficient and high performance hull design.
- Standard Garmin 12" touchscreen at the helm, with room for an optional second Garmin screen.
- Loaded with fishing features such as rod holders, aerated livewell, tackle storage and insulated fish/storage box for the big catch of the day.
- Model comes standard with Zipwake Interceptors Auto Ride Leveling.
- Stainless steel hardware throughout the entire model.











More information at StingrayBoats.com/273CC



19'1"

BEAM **90"** 228.6 cm USABLE FUEL CAPACITY

21 GAL 79 L

2,000 LB w/115 HP Engine

MAX DRAFT (Drive Up)

12.5"
31.8 cm

MAX CAPACITY

9 PPL / 2,025 LB

918 kg


















- A convenient step-thru ensures easy boarding; and open layout with L-shaped seating provides lots of seating and legroom for everyone aboard; under-seat and in-floor storage spaces provide room for stowing gear and supplies.
- The bow features padded lounge seats with canted backrests, a large ice chest, easily removable cushions that reveal roomy storage compartments, convenient cupholders, and twin speakers.
- A full windshield provides protection from the wind; sporty bucket seats are provided for captain and aco-captain; a sporty dash panel houses easy-to-read gauges.
- Optional fishing package also available.





More information at StingrayBoats.com/191DC

Photos shown may contain optional equipment. Contact your local dealer for complete model details.



20'1"

6.1 m

BEAM **100**" 254.0 cm USABLE FUEL CAPACITY **40 GAL**

151 L

2,900 LB w/150 HP Engine

MAX DRAFT (Drive Up)

14.5"
36.8 cm

MAX CAPACITY

10 PPL / 2,225 LB

1,009 kg






- A deep bow is great for families; add optional filler cushions to create a sun pad; the forward platform features a two-step ladder, anchor, and a large, insulated ice chest.
- A molded-in cockpit sink is upgraded to a single-tap faucet when the optional pressurized water system is ordered.
- An oversized non-skid lid, held open by a gas-assist strut, provides access to floor storage.
- Wrap-around seating makes it convenient for setting up the cockpit table for snacks (optional teak table shown).
- Storage throughout provides lots of areas for gear and supplies.
- Twin bucket seats with flip-up bolsters provide comfort for both the captain and co-captain; there is a 25-quart removable cooler for bringing pre-chilled drinks aboard.

















More information at StingrayBoats.com/201DC



LENGTH OVERALL

21'8"

7.2 m

BEAM

256.5 cm

USABLE FUEL CAPACITY

42 GAL

3,248 LB w/150 HP Engine

MAX DRAFT (Drive Up)


17'

43.2 cm

MAX CAPACITY **12 PPL / 2,900 LB**1,315 kg







- The wide sport deck design creates plenty of interior space, with a large bow and aft seating with filler options.
- There's a freshwater sink in the head compartment and a cockpit table with side mounts to make a day on the water with your crew a breeze.















More information at **StingrayBoats.com/211DC**

Photos shown may contain optional equipment. Contact your local dealer for complete model details.



LENGTH OVERALL 23' 8"

7.2 m

BEAM **101**" 256.5 cm USABLE FUEL CAPACITY

52 GAL 197 L

3,648 LB w/250 HP Engine

MAX DRAFT (Drive Up)

43.2 cm

MAX CAPACITY **12 PPL / 3,104 LB**1,408 kg






- The on-board head compartment doubles as a changing room when it's time for swimming or water sports.
- Sport bucket seats with flip-up bolsters adjust to an up or down position and feature luxurious stain-resistant vinyl.
- The bow provides ample legroom while storage compartments not only serve as steps, but also house a cooler, boat fender locker, and two-step bow ladder with an anchor locker combination.
- An entertainment center is complete with fresh water system, removable cooler, and stylish counter.
- The low-profile, soft-touch vinyl brow provides increased visibility and reduces glare when underway; a self-bailing, full fiberglass liner for easy cleanup, and the ease of maintenance of outboard propulsion.







complete model details.





More information at StingrayBoats.com/231DC



27' 11"

8.5 m

BEAM **102**" 259.0 cm USABLE FUEL CAPACITY 130 GAL

492 L

6,400 LB w/Twin 200 HP Engines

DRY WEIGHT

MAX DRAFT (Drive Up)
18"

18" Yacht Certified

MAX CAPACITY



- This magnificent dual console is completely versatile and can be utilized for any activities you and your family want to enjoy. The optional hardtop provides immense shade and protection from the elements and is available with six different underside color options.
- As you walk through the safety glass windshield from the helm, extremely comfortable seating awaits you in the bow. Upgrade with the optional bow filler cushion for complete lounging.
- Available seating in the cockpit is ample, as is the room to fight the fish should you choose to take the crew out for the prize catch. And you can keep those prize catches in the insulated fish/storage box located aft.
- The enclosed, lighted head offers a porcelain head with holding tank and pump out.


















More information at StingrayBoats.com/269DC



23' 5"7.1 m

BEAM **100"** 254.0 cm USABLE FUEL CAPACITY

56 GAL 212 L

AVG DRY WEIGHT 3,364 LB w/300 HP Engine

MAX DRAFT (Drive Up)

13"
33.0 cm

MAX CAPACITY

10 PPL / TBD LB / KG
23 OCX: TBD




- This model is a throwback to the Stingray heritage, yet at the same time a move forward with innovation and advancements.
- Enjoy the incredible speed, cornering, and overall performance from this beauty, just like a high performance automobile.
- A newly designed helm chair adds comfort and styling to a model that looks just as fast sitting still as it does underway.
- Storage, comfort, speed, and exhilaration come standard on this incredible 23-foot beauty.













More information at StingrayBoats.com/23-OSX

		#			CENTER C	CONSOLES				DECK	BOATS			D	UAL CONSOL	.ES		SPORT BOATS
		OPTION	17300	20600	21600	23600	253CC	273CC	172SC	182SC	192SC	212SC	191DC	20100	211DC	231DC	269DC	23 OSX
	Black Accent Package	675	-	-	-	-	771	771	-	-	-	-	-	-	-	-	-	S
	Canadian-IMCI Certification Package	89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S	CE Cert Package no/Shipping Cradle	91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
\$AG	CE Cert Package w/Shipping Cradle	90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACKAGES	Fishing Package (see note 3)	802/803	1069	1513	1513	1513	-	-	1039	1039	1039	1039	1039	1039	1039	1039	-	-
а.	Galley Entertainment Package (see note 2)	804	-	-	-	-	-	-		-	-	-	-	-	-	-	7202	-
	Stainless Steel Hardware Package (see note 1)	820	s	s	s	s	s	S	s	S	s	s	s	s	s	s	S	-
	Battery Charger	41	260	260	260	260	1008	1008	260	-	260	260	-	260	260	260	1008	260
	Battery On/Off Switch	36	s	s	s	s	s	S	s	S	s	s	s	s	s	s	S	S
	Dual Battery System w/ VSR & Switch	30	393	393	393	393	-	-	-	-	393	393	-	393	393	393	-	-
	Dual Battery System w/ VSR for Canada/CE option	307	-	393	393	393	-	-	-	-	393	393	-	393	393	393	-	-
	Hydraulic Tilt Steering (70-140HP)	617	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Hydraulic Tilt Steering Merc	622	-	1452	1452	1452	-	-	-	-	1452	1452	-	1452	1452	1452		-
	Hydraulic Tilt Steering Suz	623	-	1452	1452	1452	-	-	-	_	1452	1452	-	1452	1452	1452	-	1452
	Hydraulic Tilt Steering Suzuki (70-140HP)	618	1162	1162	-	-	-	-	1162	1162	1162	-	1162	1162	-	-	-	-
	Hydraulic Tilt Steering Yam	620		1452	1452	1452	-	-	-		1452	1452		1452	1452	1452	-	1452
	Hydraulic Tilt Steering Yamaha 150 200 Mechanical	621	-	999	999	999	-	-	-	_	999	999	-	999	999	999	-	
	Hydraulic Tilt Steering Yam/Merc (70-115HP)	617	1162		-		-	-	1162	1162	-		1162				-	-
2	LED Docking Lights - Stainless Steel	313		429	S	S	522	522			429	429		429	s	S	522	406
OPTIONS	Optimus Electric Tilt Steering Mercury Yamaha (NON XSB)	628	-		-	_	7249	7249	_	_	-	-	_	-	_	_	7249	-
	Optimus Electric Tilt Steering Suzuki	627	-	-		-	7249	7249	-	-	_		-	-	-	-	7249	-
뒾	Optimus Joystick w/ Autopilot	626	_			-	72.0	,		_	_			_	_	_	,	_
로	Porcelain Head w/Holding Tank w/ Pump Out	35	-			-	1617	1617	-		_		-	-	-	-	1617	-
	Porta Potti with Dockside Pump Out	38	S		_	_	1017	-	_	_	_			_	_	S	-	_
	Power Pole Blade 10 ft White	673			-	-		-						-			_	_
	Sea Star Power Assist Steering	625	-		-	3032	-	-	_	_	_	_	-	-	-	3032	-	3032
	Suzuki Optimus EPS Joystick Upgrade	626				OOOL	12127	12127	_	_	_	_				-	12127	-
	Trim Tabs with LED Indicator - Electric	68	-		S	S	S	-			_			_	1243	1177	-	S
	Trolling Motor Harness	751	-			-	433	-	-		_	_		-	-	-	-	-
	Windlass, Rode (200 ft) and Anchor	311	_	_	_	_	S	_	_	_	_	_	_	_	_	_	_	_
	Yamaha EX Steering Helm	630	-			-	1680	1680	-			_	-	-	-	_	1680	1680
	Yamaha Helm Master EX Joystick w/ AutoPilot	629	_		_	_	15221	15221	_	_	_	_	_	_	_	_	15221	1000
	ZipWake Interceptors Auto Ride Leveling	58				-	3762	S	_		_		-			-	S	_
	Airmar B175 Transducer Upgrade	794	-	-	-	-	1377	1377	-	-	-	-	-	-	-	-	-	-
	Backrest Support for Leaning Post	759	611	-		-	-	-	-	-	-	-		-	-	-	-	-
	Blue LED package w/ Underwater Lights	314	-	724	724	724	-	-	-	-	-	-	-	-	-	-	-	-
	Bow Cushion Filler (Center Console)	764	-	668	155	668	972	972	-	-	_	_	-	-	-	-	-	-
(0	Canvas T-Top	757	-	5281	5281	5281	3/2	3/2	-									-
OPTIONS	Center Console Hard Top/Fiberglass T-Top	760	-		8343	8343	s	S	-	-			-	-	-	-	-	-
E	Cockpit Table Mount(s)	74	-	-	-	-	-		-	-	S	s	-	S	-	-	-	-
	Cockpit Table with Offset Leg	76	-	-	-	-	-	-	-	-	S	S	-	S	-	-	-	-
COCKPIT	Cockpit Table with Side Mount(s)	806	-	-	-	-	-	-		-	3	3	-		S	S	S	-
8	Dual Bucket Seats w/ Bolster	82	-	-	-	-	-	-	-	-	-	-	S	S	S	S	-	S
U	Dual Console Hard Top	758	-	-	-	-	-	-	-	-	-	-	5	5	5	5	S	5
	·	758		-	-	-	-	-	-	-	-	-	-	-	-	-	1114	-
	Engel Cooler Seat Extension	753	444				S			-	-	-	-	-	-			
	Engel Cooler Under Leaning Post	/53		-	704	704		704	-	-	-	-	-	-	-	-	704	-
	Fiberglass Hard Top Bottom Color (see note 4)		-	-	724	724	724	724	-	-	-	-	-	-	-	-	724	-

- 1 Stainless Steel Hardware Package items vary by model and may include: - Gunnel Molding
 - (White/Stainless) - SS Horn Cover
 - SS Cup Holders
- SS Windshield Supports - SS Grab Handles
- SS Dash Rail
- SS Bimini Top Quick Connects
- 2 Galley Entertainment Package include: - Kenyon Grill
 - w/Inverter-Charger
- Shore Power Hook-up & Wiring - SS Refrigerator
- Battery Tray added to Back of Ski Locker
- 3 Fishing Package Items vary by model and may include:
- Trolling Motor Harness and Plug
- Fishing Seat (bow)
- 4 Fiberglass T-Top Bottom Colors: Opt - Sky Blue Opt - Abaco Green Opt - Oyster Opt - Black Opt - Seaside Blue Opt - Black Cherry
- S Denotes Standard - Denotes Not Available

Number entry represents price in dollars (\$USD).

Prices, specifications, and availability subject to change. For current information, visit StingrayBoats.com.

		#			CENTER (CONSOLES				DECK	BOATS			D	UAL CONSOL	.ES		SPORT BOATS
		OPTION	173CC	206CC	216CC	236CC	253CC	273CC	172SC	182SC	192SC	212SC	191DC	201DC	211DC	231DC	269DC	23 OSX
	Filler Cushion - Bow	84	551	-	-	-	972	-	551	551	630	583	551	631	392	417	-	S
	Flooring - Seagrass (Standard Layout)	32	-	1035	1034	1034	-	-	-	831	911	772	831	911	863	863	-	-
	Flooring - Seagrass (T-Top Layout #3)	37	-	1035	1034	1034	-	-	-	-	-	-	-	-	-	-	-	-
	Freshwater System	72	-	724	724	724	S	S	-	-	-	-	-	-	-	S	S	-
	Fusion 1400W 4 Channel Digital Amplifier	730	-	-	889	889	-	-	-	-	-	889	-	-	889	889	-	889
	Fusion 2000W Premium Upgrage Adds 2 8.8	734	-	-	-	-	2677	2677	-	-	-	-	-	-	-	-	2677	-
	Garmin VHF w/ Antenna and Mount	733	-	-	-	1114	1114	1114	-	-	-	-	-	-	-	-	1114	-
	Garmin 1243 & Airmar B150M Chirp	792	-	-	5654	5654	S	S	-	-	-	-	-	-	-	-	S	-
	Garmin 743 & Transducer	790	2108	2108	2108	-	-	-	-	-	2108	2108	-	2108	2108	2108	-	2108
	Garmin 943 & Airmar B150M Chirp	791	-	2684	2684	2684	-	-	-	-	-	-	-	-	-	-	2684	-
	Garmin Fantom 18 Radar	786	-	-	-	-	3332	3332	-	-	-	-	-	-	-	-	3332	-
	Garmin Striker 4 & Transducer	789	-	-	-	-	-	-	421	421	-	-	421	-	-	-	-	-
	Gemlux Deluxe Outrigger Package w/ Shade	787	-	-	-	-	4435	4435	-	-	-	-	-	-	-	-	4435	-
	Head Floor Relfex	707	-	-	S	S	-	-	-	-	-	S	-	-	S	S	S	-
	Helm Bucket Seat w/ Bolster	26	-	-	-	-	-	-	S	S	S	S	-	-	-	-	-	S
	Leaning Post with Cooler	767	-	S	S	S	S	-	-	-	-	-	-	-	-	-	-	-
Š	Leaning Post Livewell Rear Facing Seat	761	-	-	-	-	-	840	-	-	-	-	-	-	-	-	-	-
OPTIONS	Lumitec Underwater Lights	315	-	-	-	-	S	S	-	-	457	457	-	457	457	457	S	S
9	Mercury Digital Display	742	1617	1617	1617	1617	1617	1617	-	-	-	-	-	-	-	-	1617	-
늡	Pressurized Water w/ Bow & Transom Shower	70	-	-	-	-	S	S	-	-	632	637	-	632	917	S	S	S
COCKPIT	RA670 Stereo Upgrade w/ Remote	728	-	644	-	644	S	S	-	-	644	644	-	-	644	644	S	S
8	Raw Water Washdown	756	-	-	-	-	925	925	-	-	-	-	-	-	-	-	876	-
	Reflex on Flooring	712	-	2643	2657	2101	-	1869	-	1419	1812	1436	1761	1509	2246	2246	1529	-
	Reflex on Sponsons	711	-	645	734	369	-	290	-	477	663	381	477	231	772	772	-	-
	Removable Back Rest	78	-	-	-	-	-	-	-	-	366	-	-	-	-	-	-	-
	Second Garmin 1243	793	-	-	-	4500	4500	4500	-	-	-	-	-	-	-	-	-	-
	Second Garmin 743	796	-	-	1537	-	-	-	-	-	-	-	-	-	-	-	-	-
	Second Garmin 943	797	-	-	2140	2140	-	-	-	-	-	-	-	-	-	-	-	-
	Signature Speaker Upgrade WHITE	727	-	S	S	S	S	S	-	S	S	S	S	S	S	S	S	S
	Ski Tow Cage	672	1375	-	-	-	-	-	1375	-	-	-	-	-	-	-	-	-
	Stainless Steel Ski Pole (Pop Up)	671	-	-	-	-	1056	1056	-	-	-	-	-	-	1015	961	1056	971
	Stainless Steel Ski Pole (removable)	670	-	620	620	620	-	-	-	620	620	620	620	620	-	-	-	-
	Suzuki Digital Display	741	1069	1069	1069	1069	-	-	-	-	-	-	-	-	-	-	-	-
	Suzuki MFD Gateway	744	-	-	-	-	610	610	-	-	-	-	-	-	-	-	610	-
	Tackle Storage and Trash Can Pull Out	763	-	-	S	S	-	-	-	-	-	-	-	-	-	-	-	-
	Teak Cockpit Table (upgrade)	94	-	-	-	-	-	-	-	-	383	383	-	383	383	383	S	-
	Yamaha CL5 Display	739	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Yamaha MFD Gateway	743	-	-	-	-	-	610	-	-	-	-	-	-	-	-	610	-

S Denotes Standard - Denotes Not Available

Number entry represents price in dollars (\$USD).

Prices, specifications, and availability subject to change. For current information, visit StingrayBoats.com.



Fusion Audio Systems (Option #727)

Bow Filler Cushions (Option #84)



Cockpit Table with Floor Mount (Option #76) Under Seat Storage (varies by model)





Stainless Steel Port Windows



Ice Chest Under Walk-thru Step (varies by model)

				CENTER O	CONSOLES				DECK	BOATS			D	UAL CONSOI	.ES		SPORT BOATS
		173CC	20600	21600	23600	25300	273CC	172SC	182SC	192SC	212SC	191DC	201DC	211DC	231DC	269DC	23 OSX
	3-Year Hull Blister Protection Plan	s	s	s	s	s	s	s	S	S	S	s	s	s	S	s	s
	Aerated Livewell 800gph (aft)	S	S	S	S	-	-	-	-	-	-	-	-	-	-	-	-
	Aerated Livewell 1500gph	-	-		-	S	S	-	-	-	-	-	-	-	-	S	-
	Backlit Instruments & Circuit Breakers	S	S	S	S	-	-	S	S	-	-	S	-	-	-	S	-
	Bilge Pump 1100 GPH Auto/Man	S	s	S	S	-	-	S	S	S	S	S	S	S	S		S
	Bilge Pump 2000 GPH Auto/Man	-	-	_		S (2x)	S (2x)		-	-	-	-			_	S	-
	Bolster Seats for Leaning Post		-		S	- ()	- ()	-	-	_	-	-	-	-	-	-	-
	Bow Anchor Locker	S	S	_		S	S	_	_	S	S	-	S	S	S	S	S
	Bow Cushions/Seats (removable)	-	S	S	S			_	-	-		_		-	-		
	Bow Storage	S		S	S		-	S	S	S	S	S	-	S	S	S	S
	Cabin Lights					S	-			-	_		-				-
	Certifications: NMMA, USCG	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
	Cooler 25 qt Igloo (removable)		-		-	-	-	S	S	S	S	S	S	S	S	-	S
	Cooler/Storage Box with Overboard Drain	s	S	s	S	S	S	S	S	S	S	S	S	S	S	S	S
	Dash Accessory Plug 12V w/ Dual USB Ports	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
	Deluxe Console	-		S	S		-				3	3	-			3	3
	Deluxe Stainless Steering Wheel	S	S	S	S	s	S	-	-	-	-		-	-	-	S	-
	·	-						-	-		-					5	-
	Digital Switching w/ Integrated Touch Screen	-				S	S			S	S	-	S	S	S	S	
	Enclosed Head & Lighting		-	-	-	5	5	-	-	-	-	-	-	-	-	5	-
	Engel Cooler (74 qt)	-	S	S	S	-	_	-	-		-	-	_				-
	Exclusive Z-Plane Hull	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
SC	Fire Extinguisher Holder Insert	-	-	-	-	-	-	-	-	S	-	-	-	S	-	-	-
STANDARDS	Floor Storage w/ Oversized Door	-	-	-	-	-	S	S	S	S	S	S	S	-	S	S	S
2	Freshwater Sink (cockpit)	-	-	-	-	-	-	-	-	S	-	-	S	-	-	S	-
ST/	Freshwater Sink (head)	-	-	-	-	S	S	-	-	-	-	-	-	-	-	S	-
	Fuel System EPA Compliant	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
	Fusion RA-55 Stereo BT-APP	-	-	S	S	-	-	-	-	-	-	-	-	-	-	-	-
	Fusion RA-60 Stereo BT-APP	S	S	-	-	S	-	S	S	S	S	S	S	S	S	-	-
	Fusion RA770 BT-APP-WIFI	-	-	-	-	-	S	-	-	-	-	-	-	-	-	S	-
	Insulated Fish/Storage Box (aft)	-	-	-	-	S	S	-	-	-	-	-	-	-	-	S	-
	Integrated Electric Horn	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
	Italian Steering Wheel	-	-	-	-	-	-	S	S	S	S	S	S	S	S	-	S
	Leaning Post w/ Cushion	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Limited Lifetime Hull Protection Plan	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
	Livewell Front & Rear	S	S	S	S	-	-	-	-	-	-	-	-	-	-	-	-
	Lockable Head Door	S	-	-	-	-	S	-	-	-	-	-	-	-	-	-	-
	Oversized Cup Holders	S	S	S	S	S	S	S	S	S	S	S	S	-	S	S	S
	Recirculating Livewell	-	-	-	-	-	-	S	S	S	S	S	S	S	-	-	-
	Removable Windshield	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Safety Glass Windshield	-	-	-	-	-	S	-	-	-	-	S	S	S	S	S	S
	Self Bailing Cockpit	S	S	S	S	S	S	-	-	S	S	-	S	S	S	S	-
	Stain Resistant Vinyl	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
	Stainless Steel Bow Rails	-	-	-	-	S	S	-	-	-	-	-	-	S	S	S	-
	Stainless Steel Spring Line Cleats	-	-	S	S	S	S	S	-	-	-	-	-	-	-	S	-
	Stainless Steel Multi-Step Aft Ladder	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
	Stainless Steel Cleats	-	-	-	-	-	-		-	S	S	S	S	S	S	-	-
	Stainless Steel Pull-Up Cleats	S	S	S	S	-	S	S	-	-	-	-	-	-	-	S	S

- S Denotes Standard
 Denotes Not Available
- Number entry represents price in dollars (\$USD).

Prices, specifications, and availability subject to change. For current information, visit StingrayBoats.com.

				CENTER C	ONSOLES				DECK I	BOATS			DU	IAL CONSOL	.ES		SPORT BOATS
		173CC	20600	21600	23600	253CC	273CC	172SC	182SC	192SC	212SC	191DC	201DC	21100	231DC	269DC	23 OSX
	Stainless Steel Rod Holders	-	S	S	-		-	-	-	-	-	-	-	-	-	-	-
SO	Stainless Steel Rod Holders w/ Drain	-	S	S	S	S	S	S	-	-	-	-	-	-	-	S	-
ARDS	Thru Hull Windlass System	-	-	-	S	-	S	-	-	-	-	-	-	-	-	S	-
STAND,	Tinted Windscreen	-	-	-	-	-	-	S	S	S	S	-	-	-	-	-	-
ST/	Walk-thru Door	-	-	-	S	-	-	-	-	-	-	-	-	-	-	S	-
	Gunnel Molding with Stainless Steel Insert	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S

S Denotes Standard
- Denotes Not Available

Number entry represents price in dollars (\$USD).

Prices, specifications, and availability subject to change. For current information, visit StingrayBoats.com.

CANVAS & GELCOAT COLOR OPTIONS

		#			CENTER C	CONSOLES				DECK	BOATS			DU	AL CONSO	LES		SPORT BOATS
		OPTION	173CC	20600	216CC	23600	25300	273CC	172SC	182SC	192SC	212SC	191DC	20100	211DC	231DC	269DC	23 OSX
	Aft Extension Shade Top	67	-	-	-	-	1375	1375	-	-	-	-	-	-	-	-	1375	-
	Bimini Top - Forward	64	-	-	-	-	-	-	-	-	1008	1008	-	-	-	-	-	-
	Birnini Top	65	-	-	-	-	-	-	S	S	S	S	S	S	S	S	-	1138
	Bimini Top w/ Stainless Steel Frame	62	1217	1429	1354	1430	-	-	-	-	-	-	-	-	-	-	-	-
	Cockpit and Bow Cover	17	-	-	-	-	-	-	-	-	-	-	S	S	S	S	-	S
S	Cockpit Cover	13	-	-	-	-	-	-	S	S	S	S	-	-	-	-	-	-
OPTIONS	Cockpit Cover and Bow Cover (Black ONLY)	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2165	-
P	Cover - Console and Seat	754	917	-	645	645	-	1452	-	-	-	-	-	-	-	-	-	-
AS	Full Curtain Set (Windshield Connector, Sides & Aft Curtain)	4	-	-	-	-	-	-	-	-	-	-	-	-	1376	-	-	-
CANVAS	Mooring T-Top Cover (Carver Covers Sun-dura)	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ó	Rear Drop Curtain (Black ONLY)	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1476	-
	Side Curtains (Front and Both Sides)	16	-	-	-	-	-	-	-	-	-	-	-	-	-	521	-	-
	Spray Curtains Front/Sides (Black ONLY)	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5353	-
	Spray Shield w/ Gull Wings (Black ONLY)	21	-	-	1146	1146	1146	1146	-	-	-	-	-	-	-	-	-	-
	Walk-thru Flap	14	-	-	-	-	-	-	-	-	-	-	145	145	145	146	-	-
	Walk-thru Flap	14	-	-	-	-	-	-	-	-	-	-	145	145	145	146	-	-
S	Hull, Bottom Color - Abaco Green	396	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OPTIONS	Hull, Bottom Color - Black	390	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OP	Hull, Bottom Color - Oyster	393	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
COLOR	Hull, Bottom Color - Seaside Blue	398	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
COL	Hull, Bottom Color - Sky Blue	392	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DAT	Hull, Bottom Color- Black Cherry	394	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GELCOAT	Hull, Full Color Band	50	774	774	774	774	1015	1015	774	774	774	774	774	774	774	774	1015	734
6	Hull, Solid Hull (selected color)	52	-	863	863	863	1477	1477	-	-	862	863	-	863	863	863	1477	818

 $\textbf{Color samples for representation purposes only-actual colors may vary. \textbf{Color options are subject to change.}$





SEASIDE BLUE

2024 MODEL SPECIFICATIONS

				CEN	ITER CONSOLES				DEC	K BOATS			DL	JAL CONSOLES			SPORT BOATS
		173CC	20600	21600	23600	253CC	273CC	172SC	182SC	192SC	212SC	191DC	20100	21100	231DC	26900	23 OSX
Engine Type		0/B	O/B	0/B	0/B	0/B	0/B	O/B	O/B	0/B	0/B	0/B	0/B	O/B	0/B	0/B	0/B
Length Overall	ft	17' 3"	20'1"	21' 8"	23' 8"	25' 3"	27' 11"	17' 3"	19' 1"	20' 1"	21' 11"	19'1"	20' 1"	21' 8"	23' 8"	27' 11"	23' 5"
-	m	5.3	6.1	6.6	7.2	7.7	8.5	5.3	5.8	6.1	6.7	5.8	6.1	7.2	7.2	8.5	7.1
Beam	in	90	100	101	101	109	102	90	90	100	102	90	100	101	101	102	100
	in	228.6 59	254 63 (73)	256.5 72	256.5 72	276.9 -	259 80	228.6 41	228.6 39	254 50	259.1 50	228.6 50.5	254 60	256.5 58	256.5 58	259 80	254 55
Bridge Clearance (Standard Windshield)	cm	149.9	160 (186)	182.9	182.9	-	203.2	104.1	99.1	127	127	128.3	152.4	147	147.3	203.2	139.7
Bridge Clearance	in	-	96	96	96	110	105	-	-			-		-	-	105	-
Ttop/Hardtop		-	243.8	243.8	243.8	279.4		-	-	_				-	-	266.7	_
w/o External Options	cm lbs	2100	2700	3150	3648	5.600	266.7 6700	1900	2050	2700	3100	2000	2900	3248	3648	6400	3364
Average Dry Weight (w/ Popular Engine)	eng	90 HP	140 HP	200 HP	250 HP	5,600 Twin 200 HP	Twin 200 HP	90 HP	115 HP	150 HP	150 HP	115 HP	150 HP	150 HP	250 HP	Twin 200 HP	300 HP
()	gal	30	40	50	62	128	165	21	21	40	50	21	40	42	52	130	56
Usable Fuel Capacity	L	114	151	189	235	485	625	79	79	151	189	79	151	159	197	492	212
	gal	-	13	13	13	13	19	-	-	3 (13)	3 (13)	-	3 (13)	13	13	19	6
Water Capacity	L	-	49	49	49	49	72	-	-	11 (49)	11 (49)	-	11 (49)	49	49	72	23
Ice Box/Cooler	qt	48+68	48+68	74+68	74+68	60(2x)+185(2x)	60(2x)+185(2x)	25+22	25+22	67+25+45	67+25+45	25+22	67+25+45	25+32	25+32	60+16+185	39
Capacity	L	45+64	45+64	70+64	70+64	57(2x)+175(2x)	57(2x)+175(2x)	24+21	24+21	63+24+43	63+24+43	24+21	63+24+43	24+30	24+30	57+15+80	37
Livewell Capacity	gal	12+17	14+17	14+17	14+17	20	20+35	6	6	11	11	6	11	11	11	15	-
zaronon Gapaoloy	L	45+64	53+ <mark>64</mark>	53+64	53+64	76	76+ 132	23	23	42	42	23	42	42	42	57	-
Max Capacity	ppl/lb	7/2000	9/2400	10/3050	12/3250	12/3250	Yacht Cert	7/2000	9/2025	10/2225	12/2600	9/2025	10/2225	12/2535	12/2535	Yacht Cert	10/TBD
May Engine Dawen	ppl/kg HP	7/907 90	9/1088	10/1383 225	12/1474 300	12/1474 450	Yacht Cert 600	7/907 90	9/918 115	10/1099	12/1179 200	9/918	10/1099 200	12/1150 225	12/1150 300	Yacht Cert 450	10/TBD 350
Max Engine Power Molded Depth		63.8		68	68	91.7	72.5	49.5		55	55	55	55	58		72.5	54
(Windshield Base	in		62						46						58		
to Keel)	cm	162.1	157.5	172.7	172.7	232.9	184.2	125.7	116.8	139.7	139.7	139.7	139.7	147.3	147.3	184.2	137
Max Depth (w/ Standard Windshield)	in	70	74	85	85	91.7	91.7	56	48	63	63	61	69.5	72	72	91.7	43.8
Standard Windshieldj	cm	177.8	188	215.9	215.9	232.9	232.9	142.2	121.9	160	160	154.9	176.5	182.9	182.9	232.9	111.2
Max Draft (Drive Up)	in cm	11.5 29.2	14 35.6	15 38.1	16 40.6	40.6	18 45.7	11.5 29.2	12.5 31.8	14.5 36.8	14 35.6	12.5 31.8	14.5 36.8	17 43.2	17 43.2	18 45.7	13 33
Baur Danth (Baurta	in	8.5	9.5	10	10	18	18	12.5	11.5	10	10	11.5	14	17	17	18	15
Bow Depth (Bow to Cushion Top)	cm	21.6	24.1	25.4	25.4	45.7	45.7	31.8	29.2	25.4	25.4	29.2	35.6	43.2	23.2	45.7	38.1
Bow Depth (Max	in	20.5	23.3	24	24	38.8	38.8	30.6	26.4	26.2	26.4	26.4	30	33	33	38.8	34
Depth)	cm	52.1	59.2	61	61	98.6	98.6	77.7	67.1	66.6	67.1	67.1	76.2	83.8	83.8	98.6	86.4
Bow Length (Max	in	23	60	73	73	67	67	58.5	65	65	65	65	56	59	59	67	46.4
Length)	cm	58.4	152.4	185.4	185.4	170.2	170.2	148.6	165.1	165.1	165.1	165.1	142.2	149.9	149.9	170.2	117.8
Cockpit Depth (At	in	23	24.5	24.5	24.5	39	39	30	27	27.5	27.5	29.5	32	34	34	39	33
-	cm		62.2	62.2	62.2	99.1			68.6	69.9			81.3	86.4	86.4	99.1	83.8
Cockpit Width (Max																	
-																	
Sleeping Capacity	ppl	411.5	4/7.5	407.7	520.3	- 612.1	-	330.2	423.3	390.2	432.1		- 270.5	304.6	304.6	- 012.1	200.0
Deadrise	deg	18	20	21													20
					21	21	21	18	19	20	20	19	20	21	21	21	20
Helm)	cm in cm in cm	58.4 74.5 189.2 162 411.5	62.2 84 213.4 188 477.5	62.2 84 213.4 192 487.7	62.2 84 213.4 208 528.3	99.1 82.8 210.2 241 612.1	99.1 82.8 210.2 241 612.1	76.2 69 175.3 156 396.2	68.6 73 185.4 169 429.3	69.9 84 213.4 156 396.2	69.9 84 213.4 178 452.1	74.9 73 185.4 104.3 264.9	81.3 84.5 214.6 106.5 270.5	86.4 81 205.7 120 304.8	86.4 81 205.7 120 304.8	99.1 82.8 210.2 241 612.1	83.8 81 205.7 118 299.6

Specifications may change at any time. For current information, visit StingrayBoats.com. Items listed in red are optional.

^A Weights vary depending on installed options.

^B Drive Up +5" on V3.0 to clear bottom of swim platform.

PERFORMANCE OPTIONS

						CENTER (CONSOLES				DECK	BOATS			DU	IAL CONSO	LES		SPORT BOATS
	OUTBOA MODELS	; KD		17300	20600	21600	23600	25300	273CC	172SC	182SC	192SC	212SC	191DC	20100	211DC	231DC	269DC	23 OSX
			Length Overall	19' 1"	20' 1"	21' 8"	23' 8"	25' 3"	27' 11"	17' 3"	19' 1"	20' 1"	21' 11"	19' 1"	20' 1"	21' 8"	23' 8"	27' 11"	23' 5"
		Usable Fu	el Capacity (gal)	35	46	57	68	128	165	21	21	46	57	21	46	42	56	135	56
		Avg Dry Weight	(lbs), No Motor	1830	2475	2669	3143	5000	6000	1400	1660	2257	2613	1720	2290	2629	3046	5500	TBD
	Max Spe	ed with Stainless	Steel Propeller	•	~	-	•	•	•	•	•	•	•	•	-	-	~	•	•
		Sta	andard Propeller	•	•	-	•	•	•	•	•	-	-	•	•	•	-	-	-
	Engine	Prop HP	Motor Wt																
	90 CT	90	359	42 B						42 B									
	115 FS	115	373								48 C			45 C					
O	150 FS	150	455		47 W	46 V						50 W	46 W		49 W	48 AC			
MERC	200 FS	200	475		50 W	50 V	45 AB						53 AC			53 AC	47 V		
2	225 DIG	225	475				47 AB						55 AC			55 AC			
	T 225 DIG	450	950					56 RR	54 RR									54 RR	
	T 300 FS	600	427						66 RR										
	F90	90	353	42 P						42 P									
	F115	115	425								47 Q			46 Q					
	F150	150	487		47 R	47 R						50 S	46 R		49 S	48 R			
4	F200	200	489		53 S	50 S	46 R					52 S	51 S		54 T	50 R	48 R		
YAMAHA	F250	250	575				53 GG										54 GG		65 U
ΔĀ	F300	300	487				56 HH										56 GG		70 V
>	T F150	300	1044					48 PP	45 PP									45 PP	
	T F200	400	1050					52 PP	52 PP									52 PP	
	T F250	500	1124						57 RR										
	T F300	600	1124						60 RR										
	DF90	90	352	42 CC						42 CC									
	DF115	115	412								48 EE			47 EE					
	DF140	140	412		42 DD							43 CC			43 CC				
	DF150	150	522		47 LL	47 KK						49 LL	46 KK		49 LL	47 KK			
Z	DF200	200	529		53 MM	52 LL	47 KK					52 MM	52 MM		54 MM	52 LL	50 LL		
SUZUKI	DF250	250	606				55 LL										55 LL		TBD
0,	DF300	300	606				54 MM										54 MM		70 TT
	T DF150	300	1062					49 RR										45 RR	
	T DF200	400	1058					54 SS	52 RR									52 RR	
	T DF300	600	448						60 RR										

PROPELLER OPTIONS

(OUTBOARD)

MERCURY OUTBOARD

- A 17" Aluminum
- B 19" Aluminum
- C 21" Aluminum
- AB 16" Stainless Steel BV 17" Stainless Steel
- ΔC 18" Stainless Steel
- W 19" Stainless Steel
- Y 21" Stainless Steel
- AA 23" Stainless Steel

YAMAHA OUTBOARD

- TT 15" Aluminum
- P 17" Aluminum Q 19" Aluminum
- R 17" Stainless Steel
- 17" Stainless Ste
- S 18" Stainless Steel
- T 19" Stainless SteelU 21" Stainless Steel
- V 23" Stainless Steel
- FF 17" Saltwater
- GG 18" Saltwater
- HH 19" Saltwater

SUZUKI OUTBOARD

- BB 17" Aluminum
- CC 19" Aluminum
- DD 21" Aluminum EE 23" Aluminum
- JJ 17" Stainless Steel
- KK 19" Stainless Steel LL 21" Stainless Steel
- MM 23" Stainless Steel
- TT 26" Stainless Steel

MULTI-PROP (L/R) OUTBOARD

- NN 17" Stainless Steel
- 00 18" Stainless Steel
- PP 19" Stainless Steel
- QQ 21" Stainless Steel
- RR 23" Stainless Steel
 SS 23" Contra Stainless Steel

'Only EPA approved engines are available in the U.S. See your dealer for details.

Specifications are subject to change at any time without notice or obligation. To avoid disappointment at the time of purchase, please check with your Stingray dealer for current information and specifications.

Performance data comes from factory testing, independent engine manufacturer testing, or independent magazine testing. All boat speeds and propellers shown are to be used as guidelines only for general applications as boats and operating conditions vary. The best propeller for specific boating needs can be determined only by performance testing by your dealer. Results on individual boats may very depending on many factors, including driver, weather, altitude, load, condition of propeller, lower unit, and boat bottom. Matching of our boat and use conditions to the propeller by your dealer will make your boating experience more enjoyable and keep your engine running longer and stronger. Propellers used during testing are shown to be used as a guideline only and are not intended to be used as an abstorm.

CAUTION: Engine should be propped based on load to run at the upper end of the recommended RPM range at WOT to avoid damage caused by lugging. Throttle position must be reduced to avoid excessive RPM when using lower pitch prop to improve low-end performance for water sports.

Speeds shown are the maximum expected at sea level with light load, 70° F temperature, and the best performing SS propeller.







































843-383-4507 • STINGRAYBOATS.COM (♥ ♥ () Em @StingrayBoats







SCAN FOR LATEST DIGITAL **VERSION OF** THIS BROCHURE!